07

NEW
DIGITIZER
WATCH YOUR IDEAS TAKE SHAPE

LENTE - ZOMER 2002

Digital Camera's and Video

IN DIT NUMMER:



hp

photosmart 812
+ docking station
Imaging... een totaalbeeld

PAGINA 11



SONY

DCR-TRV240
+ Pinnacle Studio DV7SE
Digitale beeldverwerking

PAGINA 13



CANON

Powershot S40
Direct Print

PAGINA 31

CONTENT



NEWDIGITIZER

COLOFON

De prijzen in deze folder zijn enkel bedoeld als richtprijs, zijn niet bindend en zijn inclusief BTW, exclusief Recupel en Reprobel. Vermelde Recupel of Reprobel bijdrage is inclusief BTW. De prijzen zijn geldig van 01/05/2002 tot 31/10/02, onder voorbehoud. Elke Digitizer reseller is vrij om zijn eigen prijs te bepalen. De uitgever is niet verantwoordelijk voor mogelijke drukfouten. De afbeeldingen in deze folder zijn evenmin bindend.

Verantwoordelijke uitgever:
B.Raspoet, Assesteenweg 117/1, 1740 Ternat.



Beste klant,

Welkom bij Digitizer nieuwe stijl. Deze “New Digitizer” brengt je op een nog snellere en overzichtelijke manier in contact met de digitale wereld. Informatie, innovatie en toewijding – dat zijn de drie uitgangspunten waar we voor blijven staan.

“Digitale camera’s en video”, het hoofdthema van deze editie, diepen we op de volgende pagina’s even verder uit. En met de toevoeging van de vaste rubriekjes “Facts & Figures” en “Why Buy” haal je zó het geknipte product voor jou uit de promoties van de maand. Omdat we informatie hoog in het vaandel dragen, krijg je onder de noemer “Buzzwords” steeds een verklaring van eventuele vaktermen die op de pagina gebruikt worden.

Naast camera’s en video’s, lees je ook alles over scanners, projectors, fotoprinters en andere producten voor het concretiseren en optimaliseren van al je ideeën.
De overzichtstabellen achteraan in dit magazine geven je de mogelijkheid om snel en efficiënt de verschillende producten te vergelijken en te kiezen.

Veel leesplezier!

Het Digital Imaging Team



Digitale fototoestellen en camera's

Men kan er niet meer omheen: de analoge fototoestellen en camera's zijn niet meer in trek bij pc-gebruikers. In enkele jaren tijd hebben de digitale toestellen de analoge verdrongen. Manipulatie van foto's, bewaren van films, montage van sequenties, alles wat onmogelijk was in de wereld van het analoge is nu kinderspel.

Het spel van de manipulatie
Een belangrijk voordeel van digitale toestellen is de mogelijkheid, en dat geldt zowel voor fototoestellen als voor camera's, de geregistreerde beelden te manipuleren. Schoonmoeder uit een groepsfoto knippen of overgangseffecten tussen twee videosequenties invoegen, vraagt met gespecialiseerde software niet meer dan enkele seconden werk. Bovendien kunnen in de digitale wereld de dragers worden vermeerderd. De foto kan in verschillende formaten afgedrukt worden of in virtuele albums op het web worden gepubliceerd. Een digitaal cliché versturen, zelfs in hoge resolutie, gebeurt via de mail in plaats van via de post. Een digitale videosequentie kan in verschillende formaten worden opgeslagen, afhankelijk van wat men er mee wil doen: bewaren op DVD in hoge resolutie, maximaal comprimeren voor publicatie op het web, maken van kopieën op CD, u noemt het maar.

Aankoopcriteria
Alle apparaten zijn echter niet hetzelfde. Bij de keuze moet er met enkele essentiële criteria rekening worden gehouden.

Voor een fototoestel
- de resolutie van de CCD: minimaal 2 Mpixels
- LCD-scherm: laat toe de foto onmiddellijk te visualiseren, zodat enkel de beste clichés kunnen worden bewaard. Heel nuttig wanneer de opslagcapaciteit beperkt is.
- de zoom: de optisch zoom heeft de voorkeur boven de digitale zoom, die de pixels enkel vergroot (waardoor de beeldscherpte vermindert).
- geheugencapaciteit: hoe hoger de resolutie, hoe zwaarder het bestand.
- het type batterij: gebruik het best herlaadbare batterijen. Vooral als je een LCD-scherm gebruikt.
- aanwezigheid van geïntegreerde flash.
- het type aansluiting met de pc: een USB-poort heeft de voorkeur, gezien de grootte van de bestanden.

Voor de videocamera
- definitie van de receptor: hoe preciezer de CCD, des te groter de kwaliteit van het videobeeld. Als met de camera foto's kunnen worden gemaakt, is een raster van 1 Mpixel het minimum.
- beeldstabilisator: de camera's worden steeds lichter en zijn dus gevoelig voor trillingen bij de opname, vooral bij een zoomfunctie met grote vergroting. In dat geval zijn elektronische schakelingen die het beeld stabiliseren erg nuttig.
- gevoeligheid: bij een zwakke verlichting wordt een zoom onmogelijk. Bepaalde apparaten hebben infraroodstralen of passen de sluitertijd aan om kunstlicht overbodig te maken.
- aansluiting voor accessoires: voor een geluid van hoge kwaliteit bijvoorbeeld volstaat een standaardaansluiting waarmee u de accessoires kunt verbinden.

Met Nikon en Olympus haal je het beste uit elke situatie

OLYMPUS
C-700 Ultra Zoom

**10x meer plezier,
10x meer creativiteit**

Bij de C-700 Ultra Zoom valt niet alleen de meer dan verbazingwekkende 10x optische zoomlens op. De camera is zo veelzijdig dat hij aan de eisen voldoet van zowel de beginnende als van de ervaren fotograaf – volautomatisch instellingen maar ook een groot aantal handinstellingen. Met dit USB Storage Class compatibel toestel, is het overbrengen van foto's vanaf de camera naar uw PC nog gemakkelijker. De C-700 is een camera die je op je fotografische verkenningen verder zal voeren dan je tot nu toe gewend bent!

Specifications:
- Max. beeldformaat: 1600 x 1200
- Type beeldbestand: TIFF, JPEG
- Max. Digitale tele: 2,7x
- Scherpstelbereik:
  Standaard modus:
  0,6 m – oneindig (groothoek),
  2,0 m – oneindig (tele); Macro modus: 0,1 m – 0,6 m (groothoek), 1,2 m – 2,0 m (tele)
- QuickTime Movie
- Geluid
- Kaartsleuf SmartMedia
- DCF/DPOF-ondersteuning
- Gewicht: 310,5 gram



FACTS & FIGURES

Systeemvereisten: Windows & MAC
Website: www.olympus.be
Artnr.: 619616
Partnr.: 0050332133945
Richtprijs: 699 EUR
Recupel: 6 EUR

OLYMPUS
THE VISIBLE DIFFERENC

WHY BUY?
- 13 mm CCD met 2,11 miljoen pixels
- 10x optische zoom (komt overeen met KB 38 mm – 380 mm)
- 4 scèneprogramma's (Portret, Sport, Landschap en Nachtscène)
- Digitale ESP-, Spot-, Multispot-lichtmeting en lichtmeting met nadruk op het beeldmidden
- Beeldeffecten: Sepia, B&W, Whiteboard, Blackboard

OLYMPUS
C-220

**Moeiteloze digitale fotografie
voor iedereen**

In deze 2 megapixel camera huist een performante 3x optische zoom, vergelijkbaar met een 38-114 mm in kleinbeeld. Die staat mee borg voor heldere en scherpe beelden, die niet alleen overtuigen op de monitor, maar ook afgedrukt op papier. Met zijn minimale afmetingen, eenvoudige werking en uitstekende prijs-kwaliteitverhouding weet de C-220 zoom zowel de beginnende als de gevorderde digitale fotografen aan te spreken.

Specifications:
- Totaal aantal pixels CCD: 2,11 miljoen
- Grootte van de CCD: 1/3.15"
- Type beeldbestand: JPEG
- Objectief: 5-15 mm f/2.8 – f/4.9 (equivalent met 38 – 114 mm lens in kleinbeeldformaat)
- Max. Digitale tele: 2,5x
- Scherpstelbereik: 0,5 m – oneindig (standaard); 0,2 m – 0,5 m (macro)
- QuickTime Movie
- Kaartsleuf SmartMedia
- DCF/DPOF-ondersteuning
- Gewicht: 174 g



FACTS & FIGURES

Systeemvereisten: Windows & MAC
Website: www.olympus.be
Artnr.: 738010
Partnr.: 0050332137547
Richtprijs: 399 EUR
Recupel: 6 EUR


OLYMPUS
THE VISIBLE DIFFERENC

WHY BUY?
- 2 megapixel camera
- Performante 3x optische zoom
- Gestroomlijnde body met compacte afmetingen
- Eenvoudig in gebruik

NIKON
De Nikon Coolpix 2500
Verdraaid digitaal

Met de Coolpix 2500 is indrukwekkende foto's maken, niet alleen erg makkelijk maar ook heel erg leuk. Door het slanke, compacte design en het verrassend handige intern draaibare objectief kan je je kijk op het leven vanuit zo ongeveer elke hoek laten zien. Geef er een draai aan en je zal het ontdekken. Een digitale camera die net zo uniek is als jezelf.

Specificaties:
- CCD: 1/2.7 CCD; totaal 2,11 miljoen pixels
- Opslag: Systeem JPEG & QuickTime Movie bestanden; Media CompactFlash™ (CF) kaart (Type I)
- Opnamestanden: Automatisch, 12 Onderwerpstanden (Portret, Party/Binnenshuis, Nachtportret, Strand/Sneeuw, Landschap, Zonsondergang, Museum, Vuurwerk, Close-Up, Copy, Tegenlicht), Manueel (inclusief instelling van o.a. witbalans, belichtingscompensatie, best shot selectie)
- Interface: USB 1.1
- Gewicht (zonder batterij): ong. 165 gram



FACTS & FIGURES

Systeemvereisten: Windows & MAC
Website: www.nikon.be
Artnr.: 738011
Partnr.: 18208899210
Richtprijs: 549 EUR
Recupel: 6 EUR

Nikon

WHY BUY?
- 2,0 miljoen effectieve pixels; beelden van 1600 x 1200 pixels
- 3x zoom Nikkor objectief f/2.7-4.8 (vergelijkbaar met 37-111 mm in kleinbeeld), plus 4x digitale zoom
- Eenvoudig in gebruik door 12 onderwerpstanden
- Eén druk op de knop stuurt foto's door naar de PC
- "Small picture"-functie creëert automatisch beelden die geschikt zijn om te e-mailen of op het web te plaatsen

NIKON
De Nikon Coolpix 5000
Buitengewoon digitaal

In het hart van de duurzame Coolpix 5000-body vind je een grote 2/3 inch CCD en vooral een creatief superhigh-precision 28-85 mm Zoom Nikkor objectief. Samen leveren ze onvergelijkbare beelden met 5 miljoen effectieve pixels. De nieuwe Vari-angle LCD-monitor, veelzijdige belichtingsinstellingen, een handig accessoireschoentje en een uitgekiende, ergonomisch opbouw geven de Coolpix 5000 een creatief potentieel dat elke andere digitale consumentencamera in de schaduw plaatst.

Specifications:
- Belichtingsmethoden: Geprogrammeerd, sluitertijdvoorkeuze, diafragmavoorkeuze en manueel
- Sluitertijden: 1/4000 tot 8 sec. en BULB
- Lichtmeetmethoden: 256-velden matrixmeting
- Opslag: JPEG en QuickTime Movie
- Afmetingen: (Br x H x D) 101,5 x 81,5 x 67,5 mm
- Gewicht: (zonder batterijen) ongeveer 360 gram



FACTS & FIGURES

Systeemvereisten: Windows & MAC
Website: www.nikon.be
Artnr.: 714051
Partnr.: 18208899074
Richtprijs: 1.599 EUR
Recupel: 6 EUR

Nikon

WHY BUY?
- 5-Megapixel CCD
- 3x zoom-Nikkor objectief f/7,1-21,4 (vergelijkbaar met 28-85 mm in kleinbeeld), plus 4x digitale zoom
- Snelle reactietijd (autofocus, zoom, sluitertijd) vergelijkbaar met een reflexcamera 24x36
- Kantelbaar LCD-scherm, ingebouwde flash en flitsschoen voor aansluiting van een externe flash
- Film met geluid (15 beelden per seconde tot 60 seconden)

NIKON
De Nikon D100: Digitale prestaties opnieuw gedefinieerd

Met de komst van de D100 komen de voordelen van een digitale Nikon camera binnen het bereik van alle fotografen die de veelzijdigheid zoeken van een Nikon digitaal reflexsysteem.

Deze totaal nieuwe digitale camera beschikt over een CCD met 6,1 miljoen effectieve pixels, waarmee haarscherpe & kleurrijke beelden van maar liefst 3008 x 2000 pixels kunnen worden afgedrukt op A3-formaat. In de stevige, praktische body bevindt zich nu ook een nieuwe "one-chip" LSI voor een krachtige, efficiënte beeldverwerking.

Specifications:
- CCD: 23,7 x 15,6 mm RGB CCD; totaal 5,47 miljoen pixels
- Opslag: System EXIF file (ongecomprimeerde TIFF of gecomprimeerde JPEG), ongecomprimeerde RAW (12-bit). Media CompactFlash™ (CF) kaart (Type I/II) en 512 MB/1GB IBM Microdrive
- Zoeker: Zoeker met vast pentaprisma voor gebruik op ooghoogte, ingebouwde dioptriecorrectie (-2 tot + 1dpt)
- Ingebouwde flitser: Uitklapbaar; Richtgetal 11 (bij ISO 100, m); Gevoeligheid ISO equivalent 200 - 800; Flitssynchronisatie met externe flitser is niet mogelijk
- Afmetingen (b x h x d): 144 x 116 x 80,5 mm
- Gewicht (zonder batterij): ong. 700 gram



FACTS & FIGURES

Systeemvereisten: Windows & MAC
Website: www.nikon.be
Richtprijs : 3.300 EUR
Recupel: 6 EUR

Nikon



WHY BUY?
- Compacte en lichte reflexcamera
- 6,1 miljoen effectieve pixels voor beelden met ultrahoge resolutie van 3008 x 2000 pixels
- 3D Digital Matrix Image Control, drie kleurmodi en professionele 5 velden autofocus
- Hoogperformante ingebouwde flitser
- Sluitertijden tot 1/4000 sec. en flitssynchronisatie tot 1/180 sec

BUZZWORDS

■ **CCD** (Charge-Coupled Device) ultragevoelige receptor bestaande uit miljoenen pixels. Hij registreert de beelden door het licht in elektrische lading om te zetten. In de digitale wereld vervangt de CCD de pellicule of de videoband.
■ **Sluitertijd** tijd waarin de sluiter het licht binnenlaat. De keuze van de belichtingstijd gebeurt op basis van de mobiliteit van het te fotograferen onderwerp en het omgevingslicht. De belichtingstijd zal korter zijn naarmate het onderwerp zich sneller verplaatst.


FUJI

De Fujifilm Super CCD Technologie – 3e generatie

Allernieuwste techniek reeds toegepast in 2 nieuwe modellen

Fujifilm lanceert de derde generatie van de Super CCD. Deze unieke technologie plaatst de 8-hoekige pixels in een soort van "honingraat"-structuur waardoor een veel hogere beeldwaarde kan worden bereikt dan met de conventionele, rechthoekige structuur van de pixels.

Door deze structuur wordt de afstand tussen de pixels onderling veel kleiner, waardoor we veel meer van het beeld kunnen opvangen dan in de normale structuur. We bereiken dan ook een hogere beeldwaarde, een betere kleurdiepte, een snellere beeldverwerking en met deze 3e generatie zelfs een lichtgevoeligheid tot 1600 ISO. De nieuwe Super CCD is ook in staat kwalitatief superieure actiefoto's te maken evenals beelden bij heel gering licht. Eveneens heeft de Super CCD



een sterk verbeterde video funktie, met VGA opnames aan 30 beelden/seconde in de Finepix S602 Zoom en 15 beelden/seconde in de Finepix F601 Zoom.

Als we het hebben over Fujifilm digitale camera's met Super CCD, drukken wij de resolutie steeds uit in 2 verschillende waarden: enerzijds het effectieve aantal aanwezige pixels op de Super CCD, anderzijds de output pixelwaarde, dit is het aantal pixels dat je nodig zou hebben om dezelfde kwaliteit te bereiken indien je met normale rechthoekige pixels zou werken in de conventionele of lineaire structuur.

De actuele modellen binnen het gamma met Super CCD technologie zijn: FX-50i, F601 Zoom, S602 Zoom (einde mei 2002) en de S2 Pro (juli 2002).

FX-50i

- CCD resolutie: 2,4 mio pixels (Super CCD)
- Zoom: 3,75 x digitale zoom
- Lens zoomfactor: 36 mm
- Focus afstand: Standaard: 0,5 m – oneindig ; Macro: 6 cm – 65 cm
- Memory type: SmartMedia kaart
- Interface: USB
- Stroomvoorziening: Herlaadbare batterij NP-60
- Garantie: 1 jaar carry-in



FACTS & FIGURES

Website: http://home.fujifilm.com
Artnr.: 642057
Partnr.: 43967
Richtprijs: 798,47 EUR
Recupel: 6 EUR



WHY BUY?
- Digital Camera & MP3 player in één
- Stijlvol en Compact
- Herlaadbare batterijen en Picture Cradle inbegrepen
- Movie Recorder & Voice Recorder

F601 Zoom

- CCD resolutie: 3,3 mio pixels (Super CCD)
- Zoom: 3 x optische zoom; 4,4 x digitale zoom
- Lens zoomfactor: 36 – 108 mm
- Focus afstand: Standaard: 60 cm; Macro: 20 cm
- Memory type: SmartMedia kaart (16 MB bijgeleverd)
- Interface: USB
- Stroomvoorziening: Lithium-Ion batterij
- Garantie: 1 jaar carry-in



FACTS & FIGURES

Website: http://home.fujifilm.com
Artnr.: 742800
Partnr.: 44748
Richtprijs: 749 EUR
Recupel: 6 EUR



WHY BUY?
- Nieuwe generatie Super CCD: 1600 iso-beelden
- 3 x optische zoom; 4,4 x digitale zoom
- Ingebouwde joystick
- Aantrekkelijke prijs

S602 Zoom

- CCD resolutie: 3,3 mio pixels (Super CCD)
- Zoom: 6 x optische zoom; 4,4 x digitale zoom
- Lens zoomfactor: 35 – 210 mm
- Focus afstand: Standaard: 50 cm; Super Macro: 1 cm
- Interface: USB
- Stroomvoorziening: 4 AA alkaline batterijen
- Garantie: 1 jaar carry-in



FACTS & FIGURES

Website: http://home.fujifilm.com
Artnr.: See InTouch
Partnr.: See InTouch
Richtprijs : 1059 EUR
Recupel: 6 EUR



WHY BUY?
- Opslag: SmartMedia en CompactFlash/Microdrive
- Super Macro functie tot 1 cm
- Aansluitingsmogelijkheid voor externe flash & groothoek- of telelens

S2 Pro

- CCD resolutie: 6,17 mio pixels (Super CCD)
- Sluitersnelheid: 30 – 1/4000 seconden
- Verwisselbare Lens SLR-type
- Interface: USB
- Stroomvoorziening: 4 AA Alkaline batterijen / 2 x 3V Lithium batterijen
- Garantie: 1 jaar carry-in



FACTS & FIGURES

Website: http://home.fujifilm.com
Artnr.: See InTouch
Partnr.: See InTouch
Richtprijs : 3900 EUR
Recupel: 6 EUR



WHY BUY?
- Pixel output: 12 mio pixels
- Gebouwd op basis van de Nikon F80 body
- Bewaar je files in CCD-RAW mode



■ Zoomfactor lens functie voor vergroting van het beeld. De vergrotingsfactor (2x, 3x, et cetera) bepaalt de capaciteit van de lens om een onderwerp «dichterbij te brengen». De optische zoom die voor een reële vergroting zorgt, dient te worden onderscheiden van de digitale zoom, die enkel de pixels vergroot waardoor de scherpte van het beeld vermindert. Een zoom van 15x kan de combinatie zijn van een optische zoom van 5x en een digitale zoom van 3x.

■ Picture Cradle aansluitstation tussen het toestel en een pc. Net als digitale accessoires worden de recente fototoestellen in een aansluitstation geplaatst dat onmiddellijk een verbinding maakt met de pc. Met dit accessoire kunnen niet enkel beelden op de harde schijf worden geplaatst, maar ook de batterijen van het toestel worden opgeladen.

■ Quick AF snelle autofocus. Deze functie biedt de mogelijkheid voor een vaste scherpstelling. Terwijl met de klassieke toestellen de regeling tot in het oneindige of tot de minimumafstand gebeurde, beschikken de toestellen met Quick AF over acht voorgeprogrammeerde afstanden.

■ Quick Preview snelle visualisatie, in lage resolutie op een LCD-scherm, van een pas gemaakte opname.

■ 48 bit Kleurendiepte uiterste definitie van de kleur van een pixel. Terwijl een diepte van 24 bits enkel de drie basiskleuren definieert (cyaan, magenta, geel), past de diepte van 48 bits ook het contrast aan. Nuttig wanneer de beelden donker of overbelicht zijn. Maar let op voor de bestandsgrootte.

■ Bitdiepte aantal bits gebruikt om de informatie van een pixel te vertalen. Een beeld wordt gekenmerkt door zijn resolutie, maar ook door zijn kleurendiepte. 24 bits betekent dat, voor elke pixel, elk van de drie basiskleuren bepaald wordt door 8 bits. Hoe groter die diepte, des te uitgebreider het kleurenpalet. Een beeld van 48 bits creëert een beter contrast, met name voor donkere of overbelichte beelden. Maar let op voor de bestandsgrootte.

NIKON

Nikon Coolscan IV ED: de digitale toekomst van je films

Je wil je negatieven- en dia-archief op orde brengen? Selecteren, sorteren en opslaan van al die opnamen kan een tijdrovende klus worden. En dan blijkt bij nader onderzoek ook nog eens dat een aantal films er niet best aan toe zijn: stof, krassen en verlopen kleuren hebben hun tol geëist. Geen reden tot wanhoop! Nikon bied je de perfecte filmscanoplossing. Wanneer je opnamen met de Nikon Coolscan IV ED zijn gescand zien ze er beter uit dan ooit tevoren!

Specifications:
- Filmtype: Kleinbeeld/APS, microscoopglaasjes
- Lichtbron: R, G, B en D-LED array
- Scherpstelling: Autofocus en handmatig
- Nieuwe setup-functie voor kleurnegatieffilm
- Quick AF & Quick Preview
- Makkelijk aansluiten met USB interface
- Digital ICE™, Digital ROC™, Digital GEM™
- Afmetingen (b x h x d): 93 x 169 x 315 mm
- Gewicht: ca. 3 kg

FACTS & FIGURES

Systeemvereisten: Windows & MAC
Website: www.nikon.be
Artnr.: 620275
Partnr.: 18208898336
Richtprijs: 1.070 EUR
Nikon

WHY BUY?
- Hoge resolutie 2900 dpi
- 12-bit A/D, 16/8-bit output
- Scanner Nikkor ED objectief
- Filmsparende LED-verlichting
- Snelle scantijd van 42 sec. (inclusief beeldoverdracht naar monitor)



hp

Scannen... maar dan in alle eenvoud



Met de hp scanjet 5470 heb je een toestel dat zich positioneert tussen profesionalisme en huis-tuin-en-keuken gebruik. Het is het perfecte toestel voor wie net dát ietsje meer wil doen en dit tegen een wel heel aantrekkelijke prijs.

Specifications:
- dual sensor 2400/600 dpi om zowel snelheid als superieure kwaliteit te combineren
- preview in 8 seconden
- 48 bit kleurendiepte
- scan – kopy – fax – e-mail – share-to-web met 1 druk op de knop
- adapter voor 35mm negatieve/dia's/transparanten
- software oa.: hp precisionscan 3.0; IRIS Readlris ocr; Corel Print Office 2000; Trellix Web Express, ...

vergeet niet



FACTS & FIGURES

Systeemvereisten: Windows 95/98 /2000/Me/NT 4.0 – Mac 8.5 of hoger
Website: www. hp.com
Artnr.: 633470
Partnr.: C9857A#UUR
Richtprijs: 320 EUR



WHY BUY?
- Meegeleverde software pakket
- Dubbele sensor voor kwaliteit & snelheid
- Scan-to-toets
- Opties zoals extra garantie & documentfeeder
- hp precision scan voor eenvoud in gebruik


SONY

Sony Nieuwe Plasmaschermen PFM-32C1E/42B2E/50C1E

High resolution flat panel display monitors. Maximum impact. Maximum results.

De nieuwe PFM-reeks van Sony, die efficiënte weergavetechnologie en netwerkmogelijkheden combineert met ultradun ontwerp, is gebaseerd op het succesvolle 42-duim-model en nu aangevuld met 32" en 50" schermen.

** Speakers in optie verkrijgbaar*



PFM-32C1E
- Resolutie: 852 x 1024 pixels
- Beelddiagonaal: 820 mm (32")
- Input 1/Input 2: D-sub 15 pin
- Video composite in: BKM-B10 board in optie
- Afmetingen mm: 838 x 521 x 97
- Gewicht: 22 kg
- Network ready: Nee

PFM-42B2
- Resolutie: 1024 x 1024 pixels
- Beelddiagonaal: 1058 mm (42")
- Input 1/Input 2: D-sub 15 pin
- Video composite in: BKM-B10 board in optie
- Afmetingen mm: 1033 x 631 x 83
- Gewicht: 29,4 kg
- Network ready: Ja

PFM-50C1E
- Resolutie: 1365 x 768 pixels
- Beelddiagonaal: 1270 mm (50")
- Input 1/Input 2: D-sub 15 pin
- Video composite in: BKM-B10 board in optie
- Afmetingen mm: 1246 x 755 x 100
- Gewicht: ongeveer 40 kg
- Network ready: Ja

FACTS & FIGURES
Website: www.sonypresentations.com
Artnr.: 730844
Partnr.: PFM-32C1E
Richtprijs: 8.349 EUR
SONY

FACTS & FIGURES
Website: www.sonypresentations.com
Artnr.: 742641
Partnr.: PFM-42B2E/S
Richtprijs: 9.619,5 EUR
SONY

FACTS & FIGURES
Website: www.sonypresentations.com
Artnr.: 742643
Partnr.: PFM-50C1E
Richtprijs: 14.508 EUR
SONY


WHY BUY?
- Hoge Resolutie
- Beeldkwaliteit
- Netwerkmogelijkheid
- 2 jaar "Prime Support" all in onderhoudscontract (3e jaar optioneel)

EPSON - CREATIVE LABS - MS XBOX

De nieuwe generatie Home Entertainment

Bouw je woonkamer om tot een indrukwekkende thuisbioscoop door middel van een projector, een home theater system en een game console.

Wij stellen je voor:
- EPSON EMP-TS10 projector
- XBOX Video Game
- Creative Labs Megaworks 510D



WHY BUY?
- Nieuwe generatie Home Entertainment
- Plaatsbesparend
- Stijlvol, trendy design
- Perfecte thuisbioscoop dankzij 3 topleveranciers

Creative Megaworks 510D
De onmisbare volledige digitale 6-kanaals luidsprekers.
- 500 Watt dynamisch vermogen
- 70 Watt (RMS) per surround-satelliet (x5)
- 150 Watt (RMS) digitaal versterkte subwoofer
- SNR 95dB
- Echte kwaliteit - een nieuwe wereld van geluid voor films, games en digitale effecten, met ondersteuning van EAX ADVANCED HD en Dolby Digital 5.1



FACTS & FIGURES
Website: www.europe.creative.com
Artnr.: 714705
Partnr.: 5300000002014
Richtprijs: 547,75 EUR
Reprobel: 4 EUR
CREATIVE

EPSON EMP-TS10 projector
- SVGA
- Manuele lens
- Lamp: 150W UHE, 3000 uren
- Projectieformaat: 0,87 D 12,48m
- Keystone correctie: 30 graden
- Helderheid: 700 ANSI Lumens
- Contrastverhouding: 500:1
- Kleurweergave: Full colour (16,77 mio kleuren)
- Geluidsuitgang: 5 W
- Network ready: Nee



FACTS & FIGURES
Website: www.epson.be
Artnr.: 738097
Partnr.: V11H105040
Richtprijs: 3.444 EUR
EPSON

Xbox video game system
- een grafische processor die krachtiger is dan die van welke andere spelconsole ook
- ingebouwde breedbandcapaciteit
- ingebouwde harde schijf
- real-time Dolby Digital 5.1 surround geluidsondersteuning, het hele spel door
- mogelijkheid om DVD's te bekijken. *DVD Movie Playback Kit (afstandsbediening en infrarode ontvanger) afzonderlijk verkocht



FACTS & FIGURES
Website: www.Xbox.com
Artnr.: 710796
Partnr.: F23-00068
Richtprijs: 299 EUR
Microsoft

COMPAQ

Ultieme projectors iPAQ MP1410, MP2810 & MP4800

Compaq heeft het projector paradigma opnieuw uitgevonden: met de ultieme portable projectors kunnen je ideeën in volle glorie getoond worden. Dankzij de laatste DLP technologie, die wordt gebruikt in de high-end digitale cinema systemen, kunnen de lichtgewicht Compaq iPAQ projectors een excellente kwaliteit bieden. Het uniek design staat voor stijl en prestige in elke presentatie.

iPAQ MP1410
- Helderheid (ANSI Lumens): 800
- Gewicht: 1,95 kg
- Native resolutie: SVGA
- Garantie: 2 jaar
- Optische zoom: Nee
- Videokabels: Optie
- Afstandsbediening + laser pointer: Optie
- Speakers: Optie



FACTS & FIGURES
Website: www.compaq.be
Artnr.: 681170
Partnr.: 230315-021
Richtprijs: 3.267 EUR
COMPAQ

WHY BUY?
- extreem licht
- zeer gebruiksvriendelijk, lamp kan vervangen worden in minder dan 5 minuten
- excellente beeldkwaliteit dankzij de geavanceerde DLP
- exclusief tower design wat minder plaats inneemt en minder beeldvervorming geeft
- prestigieuse magnesium case voor ultieme stevigheid

iPAQ MP2810
- Helderheid (ANSI Lumens): 1100
- Gewicht: 1,36 kg
- Native resolutie: XGA
- Garantie: 2 jaar
- Optische zoom: Ja
- Videokabels: Standaard
- Afstandsbediening + laser pointer: Standaard
- Speakers: 8W Mono



FACTS & FIGURES
Website: www.compaq.be
Artnr.: 680515
Partnr.: 252951-021
Richtprijs: 6.050 EUR
COMPAQ

WHY BUY?
- extreem klein en licht, tegelijkertijd zeer hoge helderheid dankzij de geavanceerde DLP
- exclusief tower design wat minder plaats inneemt en minder beeldvervorming geeft
- advanced warranty: nieuwe unit on-site binnen de 48 u
- zeer gebruiksvriendelijk, lamp kan vervangen worden in minder dan 5 minuten
- zeer complete oplossing: speaker, afstandsbediening met laser pointer, luxueuse draagtas en alle videokabels in de doos

iPAQ MP4800
- Helderheid (ANSI Lumens): 2000
- Gewicht: 2,63 kg
- Native resolutie: XGA
- Garantie: 3 jaar
- Optische zoom: Ja
- Videokabels: Optie
- Afstandsbediening + laser pointer: Standaard
- Speakers: 3,5W Stereo



FACTS & FIGURES
Website: www.compaq.be
Artnr.: 731414
Partnr.: 257524-021
Richtprijs: 6.897 EUR
COMPAQ

WHY BUY?
- extreem helder beeld voor deze kleine en lichte unit
- zeer gebruiksvriendelijk, lamp kan vervangen worden in minder dan 5 minuten
- excellente beeldkwaliteit dankzij de geavanceerde DLP
- flexibele oplossing: stereo speakers, afstandsbediening met laser pointer en optionele kit voor plafondmontage
- 3 jaar garantie

BUZZWORDS

■ **Lens** essentieel onderdeel van het objectief. De lenzen laten toe een beeld te creëren met een maximale scherpte. Zij vormen het optische systeem van een fototoestel of camera. ■ **DLP-technologie** (Digital Light Processing) gebruikt in het domein van de videoprojectors. Het licht van een DMD (Digital Micromirror Device) wordt geregeld door duizenden reflecterende "vierkantjes" gemonteerd op transistors. Ze worden gebruikt als spiegels en worden zo geplaatst dat ze wel dan niet het licht reflecteren onder impuls van een digitaal signaal afkomstig van een videosignaal. ■ **ANSI Lumens** eenheid van lichtsterkte. Het American National Standards Institute is een Amerikaans instituut voor standaardisering dat internationaal aanvaarde normen opstelt. Het lumen wordt gebruikt om de lichtsterkte van een projector te bepalen, in tegenstelling tot de lux, die de gevoeligheid van een camcorder definieert. 0 lux komt overeen met de absolute donkerte, 100.000 lux met het zonlicht. ■ **Contrastverhouding** techniek voor versterking van zwartvlakken. Het is ook de verhouding tussen de laagste en hoogste dichtheid van een beeld. Het contrast versterken bestaat erin het verschil tussen de donkere en heldere delen te verhogen.

EPSON

Eenvoudigweg het beste printresultaat EPSON's Stylus Photo-reeks en EPSON Print Image Matching





FACTS & FIGURES

Systeemvereisten: Mac OS 9 / Win2000
Website : www.epson.be
Artnr.: 740766
Partnr.: C11C456011
Richtprijs: 599 EUR
Recupel: 2 EUR

EPSON

WHY BUY?
- Printen op rol (papierrolhouder standaard meegeleverd)
- Printen op CD (software standaard meegeleverd)
- Geïntegreerde snijmachine
- Ondersteunt Print Image Matching, perfecte fotoafdruk wordt gegarandeerd
- 7 afzonderlijke inkttanks (2 zwarte, 5 kleuren), kostefficiënt


EPSON Stylus Photo 810


EPSON Stylus Photo 895


EPSON Stylus Photo 1290


EPSON Stylus Photo 2100

Stylus Photo 950, de nieuwste fotoprinter van EPSON breekt werkelijk alle records. Deze printer ondersteunt bovendien Print Image Matching, EPSON's nieuwe optimaliseringstechnologie voor het afdrukken van digitale foto's. Dit exclusieve proces werd ontwikkeld door EPSON met de ondersteuning van het merendeel van de fabrikanten van de digitale camera's.

Stylus Photo 950,
perfect fotolab bij je thuis

EPSON blijft zijn afdruktechnologie aan hels tempo verbeteren en deze nieuwste telg is hier het mooiste bewijs van. Bovendien zorgen de vijf kleurencartridges en de twee zwartpatronen ervoor dat je zwart/wit pagina's tweemaal zo snel kunt afdrukken. Ook nieuw is het gebruik van lichtgrijs als alternatief voor zwart voor een nog betere fotokwaliteit.

Specificaties:
- Resolutie: 2880 x 1440 dpi, 2pl microdots
- Snelheid: 8ppm in kleur
- Interfaces: parallel, USB1
- 7 afzonderlijke inkttanks (2 zwarte, 5 kleuren)
- Printmedia tot 1,3mm mogelijk
- Schitterende reproducties dankzij EPSON Natural Colour (levendige kleuren) en Print Image Matching (tot 20 parameters zullen door de camera gelezen worden en opgeslagen worden voor een optimale print-out)
- Papierrolhouder met automatische snijmachine (+ papier opvangbakje)
- Directe printmogelijkheid op CD
- Randloze afdrukken zonder witmarges
- Compatibiliteit: Win XP, Me, 2000, NT 4.0, 95, 98, Mac OSX
- Optionele netwerkconnectiviteit mogelijk via EPSON printserverbox

Beste Printresultaat
Met Print Image Matching worden de EPSON Stylus Photo printers rechtstreeks door de camera gestuurd, waardoor je een betrouwbare weergave en een voortreffelijke afdruk krijgt. Het kan niet eenvoudiger, het proces is volledig automatisch.


Hoe werkt EPSON Print Image Matching-technologie ?
1. De producent van een digitale camera die Print Image Matching ondersteunt, bepaalt de instellingen van zijn apparatuur voor elk beeldopnametype: staand, liggend, macro, panorama en sport.
2. Wanneer de foto is genomen, krijgt deze automatisch een "label" met deze instellingen (de informatie wordt opgenomen in de header van het JPEG-bestand). Deze gecodeerde informatie is gebaseerd op meer dan 20 parameters: versterkte helderheid, verbeterde beeldscherpte, aanpassing van het contrast voor huidskleur, verbeterde kleurbalans, groter kleurenspectrum, enz.
3. De huidige Stylus Photo line-up ondersteunt Print Image Matching en interpreteert deze opdrachten reeks tijdens het afdrukken van de foto.

EPSON OLYMPUS Nikon FUJI SONY

BUZZWORDS
■ **Megapixel** eenheid die het aantal pixels van de CCD van een fototoestel aangeeft. Bijvoorbeeld een toestel met CCD van 2,1 megapixels zal beelden weergeven met een maximale resolutie van 1600 x 1200.

hp

Imaging... een totaalbeeld



FACTS & FIGURES

hp photosmart 812 digital camera + docking station
Website: www.hp.com
Artnr.: 725718
Partnr.: Q2148A#AC2
Richtprijs: 799 EUR
Recupel: 6 EUR

BUNDLE!





FACTS & FIGURES

hp photosmart 715
Website: www.hp.com
Artnr.: 641959
Partnr.: C8913A#AR8
Richtprijs: 639 EUR
Recupel: 6 EUR





FACTS & FIGURES

hp photosmart p1115
Website: www.hp.com
Artnr. NL/EN: 686162
Artnr. FR: 686091
Partnr.: C8639A
Richtprijs: 249 EUR
Recupel: 2 EUR



hp heeft een sterke reputatie te verdedigen als het om communicatie gaat. Tekst, beelden, zwart/wit of kleur, printen, scannen, digitale fotografie… hp biedt je een totaal beeld aan. Hieronder zie je reeds enkele recente trends.

De nieuwe hp photosmart 812 digital camera + docking station biedt ongekende mogelijkheden op het nemen van beelden. En dit even gebruiksvriendelijk.

Wat zijn de top kenmerken van deze camera:
1. Digitale beeld elementen:
- 4,13 megapixel sensor voor hoge resolutiebeelden
- 21x zoom = 3x optische zoom & 7x digitale zoom
- mogelijkheid tot het opnemen van 60 seconden beeld & geluid als korte video
- mogelijkheid tot het opnemen van 30 seconden geluid bij een foto.
- 16 MB Secure Digital geheugen als snel medium
- interface: USB 2.0

2. hp "direct sharing"
- geef direct een toepassing aan je beelden: e-mail - print - opslaan en bij een volgende pc-connectie worden taken automatisch uitgevoerd
- toevoegen & bewaren van verschillende toepassingen in het geheugen van de camera: e-mail adressen, printers,...

3. een slimme en uiterst gebruiksvriendelijke camera:
- compacte & stijlvolle design
- laag batterijverbruik (slechts 2x AA batterijen)
- 3,8cm LCD-sherm
- eenvoudige HP Photo Imaging Software
- snel beelden opslaan op de Secure Digital memory kaart
- compatibiliteit met Windows 98/2000/Me/XP & Mac 9.1/X/10.1

4. Met die docking station kan je:
- de hp photosmart 812 snel verbinden met pc of mac
- snel foto's af drukken - e-mailen of opslaan op je pc
- de meegeleverde oplaadbare batterijen direct in de camera opladen
- beelden tonen op je tv

Een nog betere samenwerking tussen verschillende producten vinden we tussen de **hp photosmart 715 digital camera & de hp photosmart 1115 printer.** Hoe verschillend beide producten ook zijn, door de combinatie krijg je fantastische gebruikersvoordelen.

De hp photosmart 715 is uitgerust met een 16MB CompactFlash kaart die je eenvoudig in en uit de camera kan halen.

Het unieke aan de hp photosmart 1115 is nu, dat hij over een kaart-slot beschikt die CompactFlash kaarten kan lezen. Je haalt de kaart uit de digital camera, stopt die in de printer, selecteer bv. index en je krijgt mooi alle foto's netjes naast en onder elkaar afgedrukt.

Wil je 1 foto extra afdrukken op A4 format tot A6 formaat? Geen probleem, selecteer de juiste foto, kies papierformaat, aantal kopies … en je foto's rollen zo uit je printer. Een PC of Mac heb je helemaal niet meer nodig. Je kan op deze manier ook snel je foto's downloaden op je pc of Mac en ze vandaar e-mailen, bewerken of afdrukken.

Specifications:
hp photosmart 1115 direct photo printer:
- printsnelheid: 1 min. voor een 10x15cm foto in normal mode
- connectie: parallel – USB – CompactFlash – SmartMedia – IBM MicroDrive
- papierinvoer: 100sh A4 + 20vel 10x15cm fotopapier
- geheugen: 16 MB
- resolutie: hp photoret III precision technology voor de ultieme fotorealistische afdruk met alternatieve 2400x1200dpi mode op premium foto papers

De specs van de hp photosmart 715 & 812 digital camera zijn terug te vinden in de overzichtstabellen.

WHY BUY?
- Functionaliteiten vloeien naadloos in elkaar over
- Steeds een toekomst visie: bv. automatische papierherkenning
- Gebruiksvriendelijke hp photo imaging software
- Algemene sterke hp after-sales dienst
- Mogelijkheid tot het opnemen van 60sec. video

BUZZWORDS
■ **Pixel** kleinste eenheid van een beeld. Een samentrekking van "picture" en "element". De pixel kan tot één bit beperkt worden voor een monochroom beeld (zwart of wit), maar kan ook meer dan 16 miljoen kleurennuances weergeven (8 bits voor elk van de drie basiskleuren). ■ **Resolutie** aantal dots per inch. De resolutie wordt uitgedrukt in dpi en bepaalt de precisie van weergave of afdruk. Een resolutie van 600 x 600 dpi zal vier keer preciezer zijn dan een beeld met resolutie 300 x 300 dpi.



iMac G4 — Canon XL1s — PowerMac G4 — Canon S900 — Canon Digital Ixus 330

APPLE

Onmisbaar voor digitale beeldverwerking naar print en film

De Mac staat al geruime tijd in het middelpunt van de belangstelling. Letterlijk dan. De Mac fungeert als digitale hub die ervoor zorgt dat bijvoorbeeld je digitale foto's of video heel eenvoudig kunnen bewerkt worden tot een professioneel ogend foto-album of je hoogsteigen Hollywood film.

Met de nieuwe iMac G4 maak je heel eenvoudig digitale en geprinte foto-albums. Je neemt de Canon Digital Ixus 330, een stijlvolle 2mio pixels camera met 2,5x optische zoom, waarmee je schitterende vakantiefoto's vastlegt dankzij Canon's geavanceerde beeldsignaalverwerking.
De beeldkwaliteit blijft gegarandeerd, ongeacht de opname-omstandigheden.
Plug de camera in op de iMac via de USB poort en iPhoto (het gratis bijgeleverde software programma) importeert, rangschikt, bewaart alle foto's en laat ze vervolgens op het scherm zien. Met één muisklik vergroot je foto's of scroll je over het scherm op zoek naar die ene foto. Maak een album aan, kies een thema en een lay-out. Vertel je verhaal en geef een beschrijving van de foto's met behulp van titels en lopende tekst. Print de foto's af op een Canon S900 printer, een A4 foto op Canon Photo Paper Pro duurt nauwelijks meer dan één minuut, een afdruk van 4" x 6" neemt minder dan 30 seconden in beslag en laat ze bij een copyschop inbinden. Of je maakt er een adembenemende, schermvullende diavoorstelling van, vergezeld van een leuk muziekje.

Uiteraard heeft Apple ook de perfecte oplossing voor professionele videobewerking: Final Cut Pro 3. Samen met een PowerMac G4 met Velocity Engine en Canon's XL1S, een camcorder met superieure beeldkwaliteit en prestatievermogen, beschik je over een onklopbare videobewerkingsstudio .
Met deze camera wordt een hoge mate aan controle over het beeld en geluid geboden, zodat elke opname precies die sfeer zal uitstralen die je wenst. Of je jezelf nu beschouwt als een video-amateur, professionele videofilmer of digitale filmmaker, deze camcorder configureer je naar jouw wensen.
Via de FireWire connectie gebeurt de gegevensoverdracht tussen de Mac en de Canon XL1S supersnel. Dankzij Final Cut Pro 3 werk je moeiteloos met het hele scala aan professionele bewerkingsstructuren, van DV tot SD en HD; dit in verschillende modi (zoals de bewerking-, effecten- en inkortmodus). PCI-apparatuur is helemaal niet meer nodig om overgangen en effecten real-time te bekijken, dankzij de real-time G4 effecten. Final Cut Pro 3 biedt alle voordelen van de eerste kant-en-klare real-time effectenarchitectuur aller tijden. En dit alles gaat supersnel met de nieuwe PowerMac G4: dankzij een gigantische sprong voorwaarts in verwerkingskracht, een superefficiënte nieuwe systeemarchitectuur, de nieuwste 3D-weergavevoorzieningen, de revolutionaire SuperDrive dvd-r/cd-rw-eenheid (in de twee topmodellen) en Mac OS X werk je met de G4 sneller dan je ooit had durven dromen.

Specifications:
De nieuwe iMac G4 met 15" LCD bestaat in drie modellen:

- iMac G4 700MHz 15" LCD 128MB/40GB/cd-rw/Mac OS X
- iMac G4 700MHz 15" LCD 256MB/40GB/Combo (cd-rw + dvd)/Mac OS X
- iMac G4 800MHz 15" LCD 256MB/60GB/SuperDrive (cd-rw + dvd-r)/Mac OS X

De nieuwe PowerMac G4 bestaat eveneens in drie modellen:

1. PowerMac G4 800MHz 256MB/40GB/cd-rw/Mac OS X
2. PowerMac G4 933MHz 256MB/60GB/SuperDrive (cd-rw + dvd-r)/Mac OS X
3. PowerMac G4 Dual Processor 1GHz 512MB/80GB/SuperDrive (cd-rw + dvd-r)/Mac OS X

IPhoto wordt gratis bijgeleverd bij alle nieuwe Mac's. Je kan het ook downloaden op www.apple.com/be
Final Cut Pro 3 is verkrijgbaar in twee taalversies: Engels en Frans

WHY BUY?
- Totaaloplossing voor digitale beeldverwerking
- Perfecte integratie van hardware en software
- Stijlvol design
- Gebruiksvriendelijkheid, oa plug & play, functiemogelijkheden
- Grafische spitstechnologie

FACTS & FIGURES

iMac G4
1. iMac G4 700MHz cd-rw
2. iMac G4 700MHz Combo
3. iMac G4 800 MHz SuperDrive

Artnr.:	Partnr.:
1. 734271	1. M8672FN/B
2. 734270	2. M7677FN/B
3. 734268	3. M8535FN/B

Richtprijs:
1. 2.116,18 EUR
2. 2.357,51 EUR
3. 2.781,66 EUR
Recupel: 2,48 EUR



FACTS & FIGURES

PowerMac G4
1. PowerMac G4 800MHz
2. PowerMac G4 933MHz
3. PowerMac G4 DP 1GHz

Artnr.:	Partnr:
1. 721274	1. M8705FN/A
2. 721276	2. M8666FN/A
3. 721535	3. M8667FN/A

Richtprijs:
1. 2.297, 66 EUR
2. 3.265,66 EUR
3. 4.233,66 EUR
Recupel: 2,48 EUR



FACTS & FIGURES

Final Cut Pro 3
Systeemvereisten: Macintosh computer met PowerPC G3 of G4 processor van 300MHz of sneller en ingebouwde FireWire poort - Mac OS X 10.1.1 of Mac OS 9.2.2 - 256MB RAM 40MB schijfruimte

Artnr: Franse versie: 713880
Artnr: Engelse versie: 711776
Partnr: Franse versie: M8562F/A
Partnr: Engelse versie: M8562Z/A
Richtprijs: 1.390,29 EUR



FACTS & FIGURES

CANON Digital Ixus 330
Art. Nr.: 732894 - Partnr.: 7644A001
Richtprijs: 699 EUR
Recupel: 6 EUR

CANON S900
Art. nr.: 740029 - Partnr.: 6873A021
Richtprijs: 499,99 EUR
Recupel: 2 EUR

CANON XL1s
Art. nr.: 679246 - Partnr.: 7047A001
Richtprijs: 4.699 EUR
Recupel: 6 EUR



SONY

Digitale beeldverwerking

NEW

Sony introduceert nieuwe Digital8 camcorders met USB streaming. USB streaming zorgt voor 2 boeiende en nieuwe toepassingen voor deze toch al veelzijdige digitale camcorders. De eerste toepassing is een webcam dankzij de USB stuurprogramma's en videoconferentiesoftware van derden (zoals het populaire Windows Netmeeting)™. Nog nooit was live videocommunicatie via het internet zo eenvoudig. Een tweede toepassing is het live streamen van video direct naar PC, een methode die lijkt op het overzetten van video via Sony i.LINK. Via de USB-poort wordt een continu videosignaal (dus niet langer aparte beelden) doorgezonden. Voor deze toepassing is de bijgeleverde softwaretoepassing Pixela Image Mixer vereist. Indien je je video-opnames wil veranderen in onderhoudende films met bijvoorbeeld titels, overgangen, muziek, anekdotes of speciale effecten dan is deze bundel de oplossing.



Haal meer uit je Sony D8 camcorder met Pinnacle Studio DV7SE
Digitale camera's leveren een kwalitatief hogere beeld- en geluidskwaliteit dan hun analoge broertjes, en digitale recorders kunnen beeld en geluid zonder kwaliteitsverlies opslaan. Ook bij het copiëren naar tape vindt geen achteruitgang in kwaliteit plaats.

Ontdek hoe je snel en eenvoudig je digitale beeldopnames kan verwerken tot stuk voor stuk prachtige meesterwerken.
Sony bundelt hiervoor de nieuwe **DCR-TRV240 met Pinnacle Studio.** Dit uitgebreide video editing pakket bevat speciale effecten, ondertitteling, geluidseffecten, enz.
Met de combinatie van deze 2 topprodukten haal je een volledig pakket in huis om belangrijke gebeurtenissen vast te leggen, te bewerken en te bewaren.

Hoe gaat u te werk?
Maak een opname met je digitale camera, je hoeft helemaal niets speciaals in te stellen. Zodra je de opname stopt, worden automatisch alle scènes uit je opname gedetecteerd, en in de scènebibliotheek geplaatst.

Zet je digitale opnames over op je pc, en je kan meteen aan de slag. Kies je beste opnames uit de scènebibliotheek en plaats ze in de gewenste volgorde. Je kan je opnames uiteraard ook inkorten en voorzien van titels, muziek, beeldovergangen, achtergrondgeluid. Er zijn naast de scènebibliotheek ook bibliotheken met oa titels en muziek. Iedere wijziging kan je direct, zonder rekentijd zien en horen op je PC.
Als je tevreden bent over je montage, maak je gewoon een film met een geweldige beeldkwaliteit.
Je kan je eigen film nu aan vrienden of familie laten zien. Met deze bundel maak je ook moeiteloos digitale opnames die je op het internet kan zetten of via e-mail kan versturen.
Bovendien wordt de soft geleverd met Intelligent Rendering waardoor je alleen het materiaal gebruikt dat je nodig hebt voor je definitieve film. En dat bespaart je veel tijd en opslagruimte!

Specifications:
- DCR-TRV240
- 2.5" LCD
- USB Terminal
- USB Streaming
- 700x Digital zoom / 25 x Optical zoom
- Super Steady Shot
- i.Link (DV in/out) / Analoge input
- Super Night Shot / Colour Slow Shutter
- Digital Program Editing

+ Pinnacle Studio DV 7SE
- Board
- Multilingual software
- i.Link cable

DIG THIS!

Verwerken en bewerken van video op de computer wordt erg goedkoop en bereikbaar voor iedereen: De Sony DCR-TRV240 en Pinnacle Studio DV7SE nu samen in 1 pakket voor: 1.032 EUR



FACTS & FIGURES

Systeemvereisten:
Artnr.: 719391
Partnr.:DCR-TRV240+Pinnacle
Richtprijs: 1032 EUR
Recupel: 6 EUR
SONY

WHY BUY?
- Eenvoudig in gebruik
- Uitstekende beeldkwaliteit
- Memory Stick
- Gebundeld met Pinnacle Studio DV7SE

BUZZWORDS

■ **LCD-scherm** scherm met digitale weergave zodat het beeld dat in het geheugen zit, exact kan worden weergegeven. Op een fototoestel of videoapparaat is een weergave in reële tijd mogelijk. ■ **PCI-kaarten** (Peripheral Component Interconnect): uitbreidingskaarten voor de pc. Deze kaarten worden in de slots (uitsparingen) van de computer geplaatst. De pc-kas bevat in het algemeen een AGP-slot voor de grafische kaart en meerdere PCI-slots voor andere kaarten (modem, geluid, radio, netwerk, et cetera).

KENSINGTON

Je fiets leg je toch ook aan de ketting!



FACTS & FIGURES

Twin microsaver
Beveiligd 2 items
Compatibel*: Oude en "platte" notebooks, Docking stations, Video projectors, Flat screen, CPU's, scanners
Artnr.: 726917
Richtprijs: 37 EUR
KENSINGTON

Computerdiefstal blijft groeien… Meer dan 60% van alle bedrijven, instellingen en organisaties hebben te maken gehad met computer diefstal (kensington Europees Marktonderzoek '01). Het slot kan worden gebruikt voor video projectors, flat screen monitoren, docking stations, CPU's, Desktops en notebooks.

Kensington heeft een antwoord op deze steeds groter wordende problemen. Het Microsaver aanbod van veiligheidsoplossingen, met behulp van een kabel, dient als fysiek afschrikmiddel en beschermt waardevolle apparatuur.


FACTS & FIGURES

Combosaver keyless option
Beveiligd 1 item
Compatibel*: Oudere notebooks
Artnr.: 614877
Richtprijs: 75 EUR
KENSINGTON

FACTS & FIGURES

Slim microsaver
Beveiligd 1 item
Compatibel*: Oude en "platte" notebooks, Docking stations, Video projectors, Flat screen, CPU's, scanners
Artnr.: 678935
Richtprijs: 98 EUR
KENSINGTON

WHY BUY?
- Het stelen van computermateriaal stijgt
- Totale flexibiliteit in uw fysieke IT beveiliging
- Multifunctioneel: beveiliging voor TFT schermen, docking stations, CPU's, Notebooks en LCD projectors
- Levenslange garantie
- Sterk, gepateneerd T-balkmechanisme



Flylight kensington
Dit discrete lampje geeft je dat beetje licht dat je nodig hebt bij een presentatie in een donkere ruimte. Via de USB poort op je notebook of projector kan je dit lampje laten schijnen. Geen extra batterij nodig.

FACTS & FIGURES

Flylight kensington
Artnr.: 597434
Richtprijs: 32,67 EUR
KENSINGTON

*Compatiblitie lijst is terug te vinden op de kensington website

TARGUS

Targus biedt meer!

Maak iedereen jaloers met jouw Targus-tas!

Targus heeft voor jou zowel een professionele als een sportieve reeks tassen voor digitale camera's. Bij beide uitvoeringen is er telkens een keuze mogelijk tussen een tas voor een digitale camera of foto/videocamera. De professionele uitvoering is enkel in het zwart te verkrijgen. Bij de sportieve reeks zijn verschillende kleuren beschikbaar: zwart, zilver en blauw. Om te weten of jouw digitale camera past in een Targus-tas, kan je dit nakijken op www.targus.be. Hier alvast een kleine greep uit het ruime aanbod:



FACTS & FIGURES

Sport Digital Camera Case
Silver Small
Materiaal: Neoprene & Prolene
Externe afmetingen: 14 x 19 x 7cm
Interne afmetingen: 11,4 x 10,8 x 3,8cm
Artnr.: 597802
Partnr.: DSCS02
Richtprijs: 17,9 EUR
TARGUS



FACTS & FIGURES

Sport Digital Camera Case
Blue Large
Materiaal: Neoprene & Prolene
Externe afmetingen: 19 x 22,9 x 11,4cm
Interne afmetingen: 16,5 x 14,6 x 6,4cm
Artnr.: 593648
Partnr.: DSCL05
Richtprijs: 29,9 EUR
TARGUS

WHY BUY?
- Targus is dé specialist op het vlak van tassen
- Targus biedt een ruim aanbod met de professionele en sportieve reeks en biedt daarnaast nog eens de keuze tussen een digitale camera- of een foto/videocamera-tas
- Targus biedt met de 'large' tassen voor digitale camera's een ideale oplossing indien je meerdere accessoires naast de digitale camera zelf wilt meenemen.
- Targus biedt een heel scherpe prijs/kwaliteit verhouding

LOGITECH

Cordless Presenter

Profiteer van krachtige, draadloze controle voor uw presentaties

Dankzij het eenvoudige tweeknopsontwerp kan je je geheel concentreren op je boodschap en je publiek. Gebruik de ingebouwde laseraanwijzer om je hoofdpunten te benadrukken. Geavanceerde Bluetooth-technologie biedt je draadloze betrouwbaarheid en een bereik van 10 meter. Dit presentatie-apparaat kan ook gebruikt worden als draadloze optische muis. De Logitech Cordless Presenter wordt geleverd met een draagetui, makkelijk opbergbaar in de laptoptas, 5 jaar garantie.

FACTS & FIGURES

Systeemvereisten: Windows® 98, Me, 2000 or XP
Artnr.: 726903
Partnr.: 966167-0914
Richtprijs: 249,95 EUR
Logitech

WHY BUY?
- Multifunctioneel: speciaal voor presentaties + gewone muis
- Draadloze oplossing tot 10 m
- 5 jaar garantie

LOGITECH

ClickSmart 510

Nemen. Bewaar video's of megapixel-souvenirfoto's op de meegeleverde 8-MB geheugenkaart, download moeiteloos met het nieuwe QuickSync-systeem.

Mailen. E-mail foto's en video's, zet ze op je website of installeer je eigen webalbum met Spotlife.com. Geleverd ingebouwde flits plus bewerkings-software voor video's en foto's.

Delen. Maak livevideogesprekken met de ingebouwde microfoon, zend live uit over het internet. Je kan zelfs je eigen webcam installeren.

2 jaar garantie.

FACTS & FIGURES

Systeemvereisten: Windows® 98, Me, 2000 or XP
Artnr.: 623730
Partnr.: 961185-0914
Richtprijs: 229 EUR
Reprobel: 6 EUR
Logitech

WHY BUY?
- Combinatie: digitale camera (1.3 m pixels) + webcamera
- USB connectie
- Ingebouwde Flits

BELKIN

Je aansluitingsproblemen zijn opgelost.

Een computer laten communiceren met verschillende randapparaten is soms niet gemakkelijk. Maar dit kan makkelijk opgelost worden met producten van Belkin. Belkin heeft voor elk aansluitingsprobleem een oplossing, dus ook voor digitale camera's, video camera's, projectors, scanners…

USB oplossingen

FACTS & FIGURES

USB Busport Mobile
Je PC of Apple Powerbook in een oogwenk compatibel met USB
Artnr. 546010
PN: F5U022N
Richtprijs: 117,55 EUR
BELKIN

FACTS & FIGURES

USB VideoBus
Een videorecorder op je USB-poort aansluiten
Artnr. 608399 / PC - Artnr. 612989 / MAC
PN: F5U208(nmac)
Richtprijs: 134,90 EUR
BELKIN

FACTS & FIGURES

USB Pocket HUB
Je notebook stuurt tot vier USB-apparaten tegelijk aan.
Artnr. 545863 / PC - Artnr. 545865 / MAC
PN: F5U007N(UNV)
Richtprijs: 58,60 EUR
BELKIN

FACTS & FIGURES

USB 4 poorts HUB economical
Artnr. 545927
PN: F5U021N
Richtprijs: 49,50 EUR
BELKIN

FACTS & FIGURES

USB 2.0 vierpoorts HUB
Artnr.: xxx
PN: F5U221
Richtprijs: 109 EUR
BELKIN

FACTS & FIGURES

USB 2.0 tweepoorts PCI kaart
Via de USB2 hi-speed PCI-kaart biedt Belkin USB2.0-aansluitingmogelijkheden via twee poorten
Artnr . 743371 - PN: F5U219DF
Richtprijs: 189 EUR
BELKIN

Pro series USB-kabels

Omschrijving	kleur	Artnr	PN	Richtprijs
USB A-B kabel 20/28 AWG 1,8m	grijs	545551	F3U133N06	11,35 EUR
USB A-B kabel 20/28 AWG 3m	grijs	545552	F3U133N10	15,90 EUR
USB A-B kabel 20/28 AWG 4,5m	grijs	506946	F3U133-16	18,15 EUR
USB A-A kabel 20/28 AWG 1,8m	grijs	545553	F3U134N06	11,35 EUR
USB A-A kabel 20/28 AWG 3m	grijs	545554	F3U134N10	15,90 EUR
USB A-B kabel 20/28 AWG 1,8m	Transparant	545571	F3U133N06-CBL	11,35 EUR
USB A-B kabel 20/28 AWG 3m	Transparant	545571	F3U133N10-CBL	15,90 EUR
USB A-A kabel 20/28 AWG 1,8m	Transparant	546007	F3U134N06-CBL	11,35 EUR
USB A-A kabel 20/28 AWG 3m	Transparant	546008	F3U134N10-CBL	15,90 EUR

Firewire oplossingen



FACTS & FIGURES

FireWire IEEE 1394 CardBus kaart
Je notebook uitbreiden met 2 FireWire IEEE 1394-poorten van 400 Mbps
Artnr. 584715 / PC - Artnr. 598626 / MAC
PN: F5U512n(MAC)
Richtprijs: 159,90 EUR
BELKIN



FACTS & FIGURES

FireWire IEEE 1394 4 poorts HUB
Vier IEEE 1394 (FireWire of i.LINK) apparaten aansluiten.
Artnr. 585334
PN: F5U524
Richtprijs: 134,90 EUR
BELKIN

FireWire kabels

Omschrijving	kleur	Artnr	PN	Richtprijs
FireWire kabel, 6-naar-6-polig, 1,8m	grijs	584716	F3N400-06-ICE	31,75 EUR
FireWire kabel, 6-naar-6-polig, 4,2m	grijs	584717	F3N400-14-ICE	39,90 EUR
FireWire kabel, 6-naar-4-polig, 1,8m	grijs	581699	F3N401-06-ICE	31,75 EUR
FireWire kabel, 6-naar-4-polig, 4,2m	grijs	581700	F3N401-14-ICE	39,90 EUR
FireWire kabel, 4-naar-4-polig, 1,8m	grijs	581701	F3N402-06-ICE	31,75 EUR
FireWire kabel, 4-naar-4-polig, 4,2m	grijs	581702	F3N402-14-ICE	39,90 EUR



FACTS & FIGURES

SOHO 2 –poorts switch voor PS/2 en USB*
Artnr 713134
PN: F1DS102TN
Richtprijs: 249 EUR

SOHO 4-poorts switch voor PS/2 en USB*
Artnr 713137
PN: F1DS104TN
Richtprijs: 289 EUR

Per poort heb je ook een kabelset nodig.
PN: F3X1105B(*)
BELKIN

Belkin KVM technologie
Met de Belkin SoHo KVM switch kan je met één toestenbord, muis en monitor 2 tot 4 pc's en/of Mac's besturen. Het overschakelen tussen de aangesloten computers vraagt niet meer dan een simpele toetsaanslag. Dankzij de ondersteuning van resoluties tot 2048 x 1536 bij 85Hz is deze switch ideaal voor zowel grafische ontwerpers als geavanceerde computergebruikers.

Kenmerken:
- Geschikt voor aansluiting van PS/2 en USB-pc's, Mac's en laptops.
- Ingebouwde ondersteuning voor audio en microfoon
- Overschakelen door middel van sneltoesten, drukknoppen en autoscan
- Geen externe voeding nodig
- Ingebouwde kabelberging
- Eigentijdse robuuste vormgeving
- Flash-upgradable firmware
- 5 jaar Belkin garantie

WHY BUY?
- Een oplossing voor elke gebruiker
- Garantie voorwaarde
- Design
- Gebruiksvriendelijk

	BENQ	BENQ	HP	BENQ
MODEL	S2W 3300U	S2W 4300U	ScanJet 2200c	S2W 5000E
PRICE EUR	75 EUR	85 EUR	90 EUR	105 EUR
PARTNR.	99.S0861.9WE	99.S0861.9VE	C8507A	99.S1261.9UE
ARTNR.	728829	728830	593043	728831
SCANNER TYPE	Colour Flatbed A4	Colour Flatbed A4	A4 Flatbed colorscanner	Colour Flatbed A4
RESOLUTION OPTICAL	600 x 1200 dpi	600 x 1200 dpi	600x600dpi	1200 x 2400 dpi
RESOLUTION INTERPOLATED	19200 x 19200 dpi	19200 x 19200 dpi	9600x9600dpi	19200 x 19200 dpi
COLOR DEPTH	36-bit/48-bit enhanced	36-bit/48-bit enhanced	42-bit	Color 48 bit
SCANNING AREA	216 mm x 297 mm	216 mm x 297 mm	216 x 297 mm	216 mm x 297 mm
TRANSMISSIVE	-	-	-	-
SCANNING SPEED	Preview 4 seconds	Preview 4 seconds	<49s for 10x15cm photo into Word <75s for page of text into Word	Preview 4 seconds
INTERFACE	USB 1.1	USB 1.1	USB (cable included)	USB 1.1
OS	WinXP/ME/2000/98	WinXP/ME/2000/98	W98/Me/2000	WinXP/ME/2000/98
FEATURES	Slim Type CCD Scanner	Slim Type CCD Scanner with button functions	2-button: scan & copy	Slim Type CCD Scanner, true 48bit color
SOFTWARE	Mirascan Driver, ArcSoft Photo Impression, ArcSoft PhotoBase, ABBYY Finereader OCR, Acrobat Reader, Electronic User Manual, www.clubphoto.com	Mirascan Driver, ArcSoft Photo Impression, ArcSoft PhotoBase, ABBYY Finereader OCR, Acrobat Reader, Electronic User Manual, www.clubphoto.com	CD-ROM with: HP PrecisionScan LTX with OCR/HP Copy Utility/Adobe ActiveShare	Mirascan Driver, ArcSoft Photo Impression, ArcSoft PhotoBase, ABBYY Finereader OCR, Acrobat Reader, Electronic User Manual, www.clubphoto.com
OPTIONS	-	-	3 year warranty On-Site	-
WARRANTY	2 years carry-in	2 years carry-in	1 year carry-in	2 years carry-in
WEBSITE	www.benq.nl	www.benq.nl	www.scanjet.hp.com	www.benq.nl
WHY BUY?	***1. Sharp Images 2. Slim & Compact 3. Easy to use 4. Most affordable***	***1. Sharp Images 2. Slim & Compact 3. Easy to use 4. Push button control***	***1. ease of use hp precisionscan ltx software 2. scan-to-button via scan & copy 3. plug & play via USB only***	***1. Silver Elegance with the benefits of high resolution scanning 2. Easy to use with great value***

	HP	CANON	CANON	HP	EPSON
MODEL	ScanJet 4400c	D1250U2 / D1250U2F	N1240U	ScanJet 4470c	Perfection 1650
PRICE EUR	145 EUR	D1250U2: 149,99 EUR D1250U2F: 274,99 EUR	169,99 EUR	199 EUR	1650: 224,27 EUR 1650 Photo: 280,59 EUR
PARTNR.	C9877A	D1250U2: 7499A003 - D1250U2F: 7500A003	7105A003	C9887A	1650: B11B146053 - 1650 Photo: B11B146123
ARTNR.	633467	D1250U2: 716789 - D1250U2F: 716861	645537	633468	1650: 680392 - 1650 Photo: 680393
SCANNER TYPE	A4 Flatbed Colorscanner	Flatbed Scanner	Flatbed Scanner	A4 Flatbed Colorscanner	Flatbed A4
RESOLUTION OPTICAL	1200x1200dpi	1200 x 2400 dpi	1200 x 2400 dpi	1200x1200dpi	1600 x 3200 dpi
RESOLUTION INTERPOLATED	unlimited enhanced	25 - 9600 dpi	25 – 9600 dpi	unlimited enhanced	12800 dpi
COLOR DEPTH	48 bit	48-bit input/24-bit output	48-bit input/24-bit output	48 bit	42/42bit
SCANNING AREA	216x297 mm	Document: A4/Letter 216mm x 297mm (8.5" x 11.7")	A4/Letter 216mm x 297mm (8.5" x 11.7")	216x297 mm	216 x 297 mm
TRANSMISSIVE	-	-	-	-	-
SCANNING SPEED	<40 sec for 10x15cm photo into Word <75sec for page of text into Word	Colour (USB 2.0) 4 msec/line (600dpi) - 8 msec/line (1200dpi) Greyscale (USB 2.0) - 4 msec/line (600 dpi) 8 msec/line (1200 dpi) - Film (USB 2.0) - 12.2-170.8 msec/line	Colour: 16 msec/line (600 dpi) - 32 msec/line (1200 dpi) Greyscale: 5.3 msec/line (600 dpi) 10.6 msec/line (1200 dpi) B&W: 5.3 msec/line (600 dpi) 10.6 msec/line (600 dpi)	<40 sec for 10x15cm photo into Word, <75sec for page of text into Word	Monchrome: 3,3 msec/line - Colour: 10 msec/line
INTERFACE	USB & Parallel (cables included)	USB 2.0 (USB 1.1 compatible)	USB 1.1	USB & Parallel (cables included)	USB
OS	W95/98/Me/2000/NT 4, 0 (parallel); W98/2000/Me & Mac 8, 5 or higher (USB)	PC: Windows 98 (USB 1.1 only), 2000, ME, XP	PC: Windows 98, 2000 Pro, ME - Mac: Mac (OS 8.6 to 9.1, OS X Classic Mode)	W95/98/Me/2000/NT 4, 0E (parallel); W98/2000/Me & Mac 8, 5 or higher (USB)	Windows 98, 2000, ME Macintosh OS 8.5 or later
FEATURES	4-button: scan - copy - e-mail -photoreprint	D1250U2F: film unit built-in	-	5-button: scan - copy - e-mail - photoreprint - share-to-web - Active transparency adapter	multiple photo scanning
SOFTWARE	hp precisionscan pro scanning software; hp scanjet copy utility; hp share-to-web software; for PC: I.R.I.S. OCR, ArcSoft PhotoImpressions, Trellix Trellix Web Express, hp print creator, -ACD Systems ACDSee; for Mac: I.R.I.S. -Readiris OCR, ArcSoft Photo Impressions, -Trellix Trellix Web Express, ArcSoft Photo-Printer Pro 2000, ACD Systems ACDSee	Windows: ScanSoft OmniPage; PhotoRecord; ScanGear CS-U; ScanGear Toolbox; ArcSoft PhotoBase; Adobe PhotoShop Elements	Windows: ScanSoft OmniPage Pro 9.0 Mac: ScanSoft OmniPage SE 9.0 - PC and Mac: ScanGear CS U 6.2, ScanGear Toolbox 3.0, ArcSoft PhotoStudio 2000, ArcSoft PhotoBase, Adobe Photoshop Elements, Adobe Acrobat Reader 5.0	hp precisionscan pro scanning -software; hp scanjet copy utility; hp share-to-web software; for PC: I.R.I.S. OCR, ArcSoft hotoImpressions, Trellix Trellix Web Express, hp print creator, ACD Systems ACDSee; for Mac: I.R.I.S. Readiris OCR, ArcSoft Photo Impressions, Trellix Trellix Web Express, ArcSoft PhotoPrinter Pro 2000, ACD Systems ACDSee	Epson Smart Panel, Epson Photo Print Utility Epson Copy Utility, ArcSoft PhotoImpression Scan to web
OPTIONS	3 year warranty On-Site/ Transparency adapter	-	-	3 year warranty On-Site	-
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.scanjet.hp.com	www.canon.be	www.canon.be	www.scanjet.hp.com	www.epson.be
WHY BUY?	***1. ease of use hp precisionscan pro software 2. a lot of top software titles 3. 4 easy scan-to-buttons 4. Mac & pc compatible 5. all cables included***	***1. USB 1.1 & USB 2.0 compatible I 2. U2F version : built-in film adapter unit for 35mm positive/negative film scans 3. Qare-technology (removes dust on your photo's)***	***1. Ultraflat flatbedscanners 2. One-touch scanning***	***1. ease of use hp precisionscan pro software 2. a lot of top software titles 3. 5 easy scan-to-buttons 4. Mac & pc compatible 5. all cables included***	***1. Photo version standard delivered with 35mm film adapter unit x 5 2. Ease of use (4 Push-buttons) 3. Lot of new software included***

	CANON	BENQ	EPSON	CANON
MODEL	N670U / N676U	S2W 5300U	Perfection 1250	D660U
PRICE EUR	N670U: 114,99 EUR N676U: 129,99 EUR	129 EUR	1250: 140,82 EUR 1250 Photo: 165,85 EUR	144,99 EUR
PARTNR.	N670U: 7103A003 - N676U:7104A003	99.S1061.93E	1250: B11B145043 - 1250 Photo: B11B145113	0772A003
ARTNR.	N670U: 645535 - N676U:740331	728832	1250: 680395 - 1250 Photo: 680396	602094
SCANNER TYPE	Flatbed Scanner	Colour Flatbed A4	Flatbed	Flatbed Scanner
RESOLUTION OPTICAL	600 x 1200 dpi	1200 x 2400 dpi	1200 x 2400 dpi	Document: 600 x 1200 dpi Film: 1200 x 1200 dpi by VAROS technology
RESOLUTION INTERPOLATED	25 - 9600 dpi	19200 x 19200 dpi	9600 dpi	Win: 25 to 9600 dpi - Mac - 25 to 9600 dpi
COLOR DEPTH	48-bit input/24-bit output	48-bit	42/42bit	14-bit input/8-bit output for each colour (RGB)
SCANNING AREA	A4/Letter 216mm x 297mm (8.5" x 11.7")	216 mm x 297 mm	216 x 297 mm	Document: A4/Letter 216mm x 297mm (8.5" x 11.7") - Film - 35mm film
TRANSMISSIVE	-	-	-	-
SCANNING SPEED	Colour: 16 msec/line Greyscale: 5.3 msec/line - Black and white: 5.3 msec/line	Preview 4 seconds	Monchrome: 12 msec/line - Colour: 36 msec/line	Color (Document) – 114 sec (A4/600dpi), 38 sec (A4/300 dpi) - Color (Pos Film) – 43 sec (35 mm/1200dpi) - Color (Neg Film) – 117 sec (35 mm/1200 dpi) Grayscale – 76 sec (A4/600 dpi), 25 sec (A4/300 dpi)
INTERFACE	USB 1.1	USB 1.1	USB	USB
OS	PC: Windows 98, 2000 Pro, ME Mac: Mac (OS 8.6 to 9.1, OS X Classic Mode)	WinXP/ME/2000/98	Windows 98, 2000, ME Macintosh OS 8.5 or later	Windows 98, Windows 2000 Professional, Mac OS 8.5 or later
FEATURES	N676U same specs as N670U but different design	CCD Scanner with 5 pushbuttons and Firefly providing unique indicator lights	TPU for dia / multiple photo scanning	-
SOFTWARE	Windows: ScanSoft OmniPage Pro 9.0 - Mac: ScanSoft OmniPage SE 9.0 - PC and Mac: ScanGear CS U 6.2, ScanGear Toolbox 3.0, ArcSoft PhotoStudio 2000, ArcSoft PhotoBase, Adobe Acrobat Reader 5.0	Mirascan Driver, ArcSoft Photo Impression, ArcSoft PhotoBase, ABBYY Finereader OCR, Acrobat Reader, Electronic User Manual, www.clubphoto.com	Epson Smart Panel-Epson Photo Print Utility - Epson Copy Utility-ArcSoft PhotoImpression Scan to web	Windows: TWAIN – ScanGear CS; U 5.8; Utility – ScanGear Toolbox CS 2.5; ScanGear Toolbox FAU 2.5; Photo Imaging – ArcSoft PhotoStudio 2000; Album – ArcSoft PhotoBase 2.1; OCR – Caere OmniPage Pro 9.0 Mac: Plug-in - Canon Plug-in Module CS-U 3.9-Utility – CanoScan Toolbox CS 1.5-Photo imaging – ArcSoft PhotoStudio 2000-Album – ArcSoft PhotoBase 2.1-OCR – Caere OmniPage SE 8.0
OPTIONS	-	-	-	-
WARRANTY	1 year carry-in	2 years carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.canon.be	www.benq.nl	www.epson.be	www.canon.be
WHY BUY?	***1. Ultraflat flatbedscanners 2. N676U stylish design version of N670U (Alu doc. Cover) 3. One-touch scanning***	***1. High quality CCD Scanning 2. Futuristic design 3. Fun Buttons for easy scanning***	***1. Photo version standard delivered with 35mm film adapter unit 2. Ease of use (4 Push-buttons) 3. Lot of software included***	***1. Desktop flatbedscanner with 35mm scanning feature 2. User friendly -> two scan buttons***

	BENQ	HP	BENQ	HP	BENQ
MODEL	S2W 6400UT	ScanJet 5400c	S2W 7400UT	ScanJet 5470c	2720S
PRICE EUR	245 EUR	249 EUR	309 EUR	320 EUR	419 EUR
PARTNR.	99.S1361.96E	C8517A	99.S1461.96E	C9857A	99.61624.91E
ARTNR.	728833	633469	728857	633470	729041
SCANNER TYPE	Colour Flatbed A4	A4 Flatbed Colorscanner	Colour Flatbed A4	A4 Flatbed Colorscanner	Film Scanner
RESOLUTION OPTICAL	1200 x 2400 dpi	2400x2400dpi	2400 x 4800 dpi	2400x2400dpi	2700 x 2700 dpi
RESOLUTION INTERPOLATED	19200 x 19200 dpi	unlimited enhanced	19200 x 19200 dpi	unlimited enhanced	-
COLOR DEPTH	48-bit	48 bit	48-bit	48 bit	36-bit/48-bit enhanced
SCANNING AREA	216 mm x 297 mm	216x297 mm	216 mm x 297 mm	216x297 mm	-
TRANSMISSIVE	35mm film / 210mm x 36mm	-	4"x5" film / 101.6mm x 127mm	-	35mm mounted size dia & 35mm film
SCANNING SPEED	Preview 4 seconds	<35sec for 10x15cm photo into Word <45 sec for page of text into Word	Preview 4 seconds	<35sec for 10x15cm photo into Word <45 sec for page of text into Word	40 seconds
INTERFACE	USB 1.1 / 2.0	USB & Parallel (cables included)	USB 1.1 / 2.0	USB & Parallel (cables included)	SCSI II
OS	WinXP/ME/2000/98	W95/98/Me/2000/NT 4, 0 (parallel); W98/2000/Me & Mac 8, 5 or higher (USB)	WinXP/ME/2000/98	W95/98/Me/2000/NT 4, 0 (parallel); W98/2000/Me & Mac 8, 5 or higher (USB)	Windows & MAC
FEATURES	CCD Scanner with 5 pushbuttons and Firefly providing unique indicator lights that play pleasing sounds from the natural world when pressed	5-button: scan - copy - e-mail - photoreprint - share-to-web	CCD Scanner with 5 pushbuttons & optical 2400dpi resolution. Firefly providing unique indicator lights that play pleasing sounds from the natural world when pressed	5-button: scan - copy - e-mail - photoreprint - share-to-web - Active transparency adapter	Film Scanner with high 2700dpi resolution, one touch scanning and fast speed
SOFTWARE	Mirascan Driver, ArcSoft Photo Impression, ArcSoft PhotoBase, ABBYY Finereader OCR, Acrobat Reader, Electronic User Manual, www.clubphoto.com	CD-ROM including: hp precisionscan pro 3.0 scanning software hp scanjet copy -utility; hp share-to-web software; For PC: I.R.I.S. OCR, Corel Print Office 2000, Trellix Trellix Web Express, HP Print Creator, ACD Systems ACDSee; For Mac: I.R.I.S. Readiris OCR, Corel Print Office 2000, Trellix Trellix Web Express, SmithMicro Faxstf, ArcSoft PhotoPrinter Pro 2000, ACD Systems ACDSee;	Mirascan Driver, ArcSoft Photo Impression, ArcSoft PhotoBase, ABBYY Finereader OCR, Acrobat Reader, Electronic User Manual, www.clubphoto.com	CD-ROM including: hp precisionscan pro - 3.0 scanning software; hp scanjet copy -tility; hp share-to-web software; For PC: I.R.I.S. OCR, Corel Print Office 2000, NetObjetcs Fusion/NetObjetcs Matrix, HP -Print Creator, ACD Systems ACDSee; For Mac: I.R.I.S. Readiris OCR, Corel Print Office 2000, NetObjetcs Fusion/NetObjetcs Matrix, SmithMicro Faxstf, ArcSoft PhotoPrinter Pro 2000, ACD Systems ACDSee	MiraPhoto Driver, Adobe Photoshop Element, Arcsoft PhotoImpression, Arcsoft PhotoBase, Arcsoft PhotoPrinter, Electronic user manual
OPTIONS	-	3 year warranty On-Site/Transparency adapter/ADF 25 pag A4	-	3 year warranty On-Site/ADF 25 pag A4	-
WARRANTY	2 years carry-in	1 year carry-in	2 years carry-in	1 year carry-in	2 years carry-in
WEBSITE	www.benq.nl	www.scanjet.hp.com	www.benq.nl	www.scanjet.hp.com	www.benq.nl
WHY BUY?	***1. High quality CCD Scanning 2. USB 2.0 interface 3. Built-in Transparency for Scanning 35mm film***	***1. ease of use hp precisionscan 3.0 software 2. dual sensor for speed & quality 3. a lot of top software titles 4. 5 easy scan-to-buttons***	***1. 2400dpi high quality CCD Scanning 2. USB 2.0 3. Built in Transparency for Scanning 4""x5"" film***	***1. ease of use hp precisionscan 3.0 software 2. dual sensor for speed & quality 3. a lot of top software titles 4. 5 easy scan-to-buttons***	***1. 2700dpi high dedicated filmscanner for professional use 2. One touch scanning***

MODEL	HP ScanJet 5490c	EPSON Perfection 2450 Photo	CANON D2400UF	BENQ 2740S
PRICE EUR	469 EUR	489,22 EUR	549,99 EUR	589 EUR
PARTNR.	C9867A	B11B149043	D2400UF: 6685A003	99.S0661.91E
ARTNR.	633466	695684	D2400UF: 717761	729040
SCANNER TYPE	A4 Flatbed Colorscanner	Flatbed A4	Flatbed Scanner	Film Scanner
RESOLUTION OPTICAL	2400x2400dpi	2400 x 4800 dpi	2400 x 4800 dpi	2700 x 2700 dpi
RESOLUTION INTERPOLATED	unlimited enhanced	12800 dpi	25 - 9600 dpi	-
COLOR DEPTH	48 bit	48/48bit	48-bit input/24-bit output	36-bit/48-bit enhanced
SCANNING AREA	216x297 mm	216 x 297mm	Document: A4/Letter 216mm x 297mm (8.5" x 11.7")	-
TRANSMISSIVE	-	-	-	35mm mounted size dia & 35mm film
SCANNING SPEED	<35sec for 10x15cm photo into Word <45 sec for page of text into Word	Monochrome: 3.8 msec/line - Colour: 11.0 msec/line	Colour: Less than 600 dpi: 4.50 msec/line, More than 601 dpi: 9.00 msec/line - Greyscale: Less than 600 dpi: 4.50 msec/line, More than 601 dpi: 9.00 msec/line B&W: Less than 600 pi: 4.50 msec/line, More than 601 dpi: 9.00 msec/line	40 seconds
INTERFACE	USB & Parallel (cables included)	USB 2.0 / IEEE1394	USB 1.1	SCSI II
OS	W95/98/Me/2000/NT 4, 0 (parallel); W98/2000/Me & Mac 8, 5 or higher (USB)	Windows 98, 2000, ME Macintosh OS 8.1 or later	Windows 98, 2000, ME Apple Mac OS 8.5 or later	Windows & MAC
FEATURES	5-button: scan - copy - e-mail - photoreprint - share-to-web - Active transparency adapter/ADF 25sh	Text Enhancement Technology;Auto Area Segmentation;Digital halftoning;dia dapter included	D2400UF: film unit built-in	Film Scanner with high 2700dpi resolution, built-in Digital ICE Technology, one touch scanning and fast speed
SOFTWARE	CD-ROM including: hp precisionscan ;Pro - 3.0 scanning software; hp scanjet copy -utility; hp share-to-web software; For PC: I.R.I.S. OCR, Corel Print Office 2000, NetObjetcs Fusion/NetObjetcs Matrix, HP -Print Creator, ACD Systems ACDSee; For Mac: I.R.I.S. Readiris OCR, Corel Print Office 2000, NetObjetcs Fusion/NetObjetcs Matrix, SmithMicro Faxstf, ArcSoft PhotoPrinter Pro 2000, ACD Systems ACDSee	EPSON TWAIN 5.5 Transparency Scanning, Auto Locate, Auto Exposure, Document Type Recognition, Auto Skew Correction, Multiple Photo Scanning, Windows ICM, Windows sRGB, Macintosh ColorSync, Easy & Advanced User Interface	Windows 98/2000/Me/Mac OS 8.5 or higher; ScanGear CS-U 6.1 (Win); Plug-in Module CS-U 4.1 (Mac); ScanGear Toolbox CS 2.6 (Win); CanoScan Toolbox CS 1.6 (Mac); ArcSoft PhotoBase 2.1 (Win/Mac); ScanSoft OmniPage Pro 9.0 (Win); ScanSoft OmniPage 8 SE (Mac); PhotoRecord 1.2 (Win); ImageBrowser 1.5 (Mac); Adobe Acrobat Reader 4.05 (Win/Mac); PDF manuals (Win/Mac); PT4H	MiraPhoto Driver, Adobe Photoshop Element, Arcsoft PhotoImpression, Arcsoft PhotoBase, Arcsoft PhotoPrinter, Electronic user manual
OPTIONS	3 year warranty On-Site	-	-	-
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	2 years carry-in
WEBSITE	www.scanjet.hp.com	www.epson.be	www.canon.be	www.benq.nl
WHY BUY?	*1. ease of use hp precisionscan 3.0 software 2. dual sensor for speed & quality 3. a lot of top software titles 4. 5 easy scan-to-buttons 5. Mac & pc compatible 6. all cables included*	*1. USB 2.0 and firewire as standard interfaces 2. Built-in 4" x 9" transparancy unit 3.New Adobe Photoshop Elements Imaging Software*	*1. Super galileo lens 2.Built-in film adapter unit for 35mm positive/negative film scans 3. Fare-technology (removes dust & scratches on the original)*	*1. 2700dpi high dedicated filmscanner for professional use 2. featuring Digital ICE 3. One touch scanning*

MODEL	HP ScanJet 7400c	HP ScanJet 7450c	NIKON CoolScan LS-40 (CS IV ED)	CANON FS4000US
PRICE EUR	599 EUR	799 EUR	1.070 EUR	1.099,99 EUR
	-	-	-	-
PARTNR.	C7717A	C7718A	18208898336	6735A003
ARTNR.	EN: 593045 - NL/FR: 593044	EN: 593047 - NL/FR: 593046	620275	633167
SCANNER TYPE	A4 Flatbed colorscanner	A4 Flatbed colorscanner	35 mm (135)/IX 240 film, slide glass for microscope 2900 dpi	Desktop Film Scanner
RESOLUTION OPTICAL	2400x2400dpi	2400x2400dpi		4000 x 4000 dpi
RESOLUTION INTERPOLATED	unlimited enhanced	unlimited enhanced	-	125 - 4000 dpi
COLOR DEPTH	48 Bit	48 Bit	16 bits	42-bit input/24-bit output
SCANNING AREA	216x297 mm	216x297 mm	25,1 x 38 mm (2870 x 4332 pixels)	24.0 x 36.0mm (35mm film), 15.6 x 27.4mm (APS film)
TRANSMISSIVE	-	-	35 mm film	-
SCANNING SPEED	<25sec for 10x15cm photo into Word <50sec for page of text into Word	<25sec for 10x15cm photo into Word <50sec for page of text into Word	Approx. 42 sec. at 2900 dpi (35 mm), 8-bit output	Colour 1000 dpi: 12 – 72 sec Colour 2000 dpi: 24 – 144 sec - Colour 4000 dpi: 48 – 287 sec (Not including transfer times and depends on the film type)
INTERFACE	USB (cable included) - SCSI II - (no card supplied)	USB (cable included) - SCSI II (no card supplied)	USB	USB 1.1/SCSI-2
OS	W98/Me/2000 (USB)	W98/Me/2000 (USB)	Windows & Mac	Windows 98, 2000, ME Macintosh OS 8.6 or later, OS X
FEATURES	6-button: copy - e-mail - fax - edit text - file - scan/Active transparency adapter 35mm neg/slide & transparencies up to 12,7x12, 7cm	6-button: copy - e-mail - fax - edit text - file - scan/Active transparency adapter 35mm neg/slide & transparencies up to12, 7x12, 7cm/ ADF 50sh A4	Automatic Digital Image Correction function	-
SOFTWARE	CD-ROMs including: hp precisionscan pro 3.0 scanning software; hp scanjet copy utility; hp share-to-web; for PC: hp precisionscan lan scanning software for network sharing, Corel Print Office 2000, Adobe Acrobat Reader 4.0, ScanSoft OmniForm 4.0, Boomerang Internet DesignShop[a] Gold 2000 Web site-creation, Boomerang WebShop[a] 2000 Web site creation software (English only), I.R.I.S. Cardiris[a] 2.0 business card organizer OCR software	CD-ROMs including: hp precisionscan pro 3.0 - scanning software; hp scanjet copy utility; hp share-to-web; for PC: hp precisionscan lan - scanning software for network sharing, Corel Print Office 2000, Adobe Acrobat Reader 4.0, ScanSoft OmniForm 4.0, Boomerang Internet DesignShop[a] Gold 2000 Web site-creation, Boomerang WebShop[a] 2000 Web site creation software -(English only), I.R.I.S. Cardiris[a] 2.0 business card organizer OCR software, Iris ReadIris 6.0 ocr	Photoshop LE 5.0 (Adobe Systems Inc.)	FilmGet FS (Win/Mac)-Adobe Photoshop 5.0LE (Win/Mac)
OPTIONS	3 year warranty On-Site/SCSI card & cable/ADF 50 pag A4	3 year warranty On-Site/SCSI card & cable	Nikon Scan 3 driver software	-
WARRANTY	1 year carry-in	1 year carry-in	1 jaar carry-in	1 year carry-in
WEBSITE	www.scanjet.hp.com	www.scanjet.hp.com	www.nikon.be	www.canon.be
WHY BUY?	*1. ease of use hp precisionscan 3.0 software 2; dual sensor for speed & quality 3. a lot of top software titles*	*1. ease of use hp precisionscan 3.0 software 2. dual sensor for speed & quality 3. a lot of top software titles*	*1. 2900 dpi true optical resolution 2. Fast 42-sec. scanning at 2900 dpi 3. Various film formats.*	*1.Desktop 35mm/APS film scanner 2. Fare-technology (removes dust & scratches on the original) 3. Batch scanning :APS scanning till 40 frames, 35mm filmstrips till 6 frames*

MODEL	EPSON Expression 1680 / Pro	HP ScanJet 7490c	EPSON GT-10000+	HP Digital Sender 8100	HP Digital Sender 8100
PRICE EUR	1.182,17 EUR/Pro: 1.586,31 EUR	1.199 EUR	1.632,29 EUR	2.599 EUR	2.999 EUR
				-	-
PARTNR.	1680: B11B138021GA - 1680 Pro:B11B138041GA	C7719A	B11B107021GA	C7707A	C7708A
ARTNR.	1680: 621122 - 1680 Pro: 621123	EN: 593049 - 593048	536103	480497	506359
SCANNER TYPE	Flatbed	A4 Flatbed colorscanner	Flatbed A3	A4 Flatbed e-document solution	A4 Flatbed e-document solution
RESOLUTION OPTICAL	1600 x 3200 dpi	2400x2400dpi	600 x 2400 dpi	-	-
RESOLUTION INTERPOLATED	12800 dpi	unlimited enhanced	9600 dpi	-	-
COLOR DEPTH	48/48bit	48 Bit	36 bit	-	-
SCANNING AREA	216 x 297 mm	216x297 mm	297 x 432 mm	-	-
TRANSMISSIVE	-	-	-	-	-
SCANNING SPEED	Mono: 3,1 msec/line - Colour: 9,2 msec/line	<25sec for 10x15cm photo into Word <50sec for page of text into Word	Mono: 10 ppm A4 200dpi - Colour: 4,0 msec/line	feed speed, black : Up to 4 ppm; feed speed, color: up to 3.5 ppm	feed speed, black : 4 ppm; feed speed, color: up to 3.5 ppm -
INTERFACE	USB / SCSI x 2	USB (cable included) - SCSI II (card & cable included)	SCSI x 2	hp jetdirect RJ-45 10Base-T	hp jetdirect RJ-45 10/100Base-TX
OS	Windows 98, 2000, ME Macintosh OS 8.1 or later	W98/Me/2000 (USB); Win 95/98/2000/Me/NT 4.0	Windows 95, 98, NT 4.0, Macintosh OS 8.1 or later	TCP/IP network with SMTP e-mail server	TCP/IP network with SMTP e-mail server
FEATURES	Text Enhancement Technology; Auto Area Segmentation; dia adapter included (1680 Pro)	6-button: copy - e-mail - fax - edit text - file - scan - Active transparency adapter 35mm neg/slide & transparencies up to 12, 7x12, 7cm/ADF 50sh A4/SCSI card & cable	-	Send paper electronically via e-mail or internet fax - 25sh ADF - sent documents as PDF or TIFF	Send paper electronically via e-mail or internet fax - 25sh ADF - sent documents as PDF or TIFF
SOFTWARE	Lasersoft Silverfast 5.0 Epson Scan Server Epson Netwerk Twain	CD-ROMs including: hp precisionscan pro 3.0 scanning software; hp scanjet copy utility; hp share—to-web; for PC: hp precisionscan lan scanning -software for network sharing, Corel Print Office 2000, Adobe Acrobat Reader 4.0, ScanSoft OmniForm 4.0, Boomerang Internet DesignShop[a] Gold 2000 Web - site-creation, Boomerang WebShop[a] 2000 Web site - creation software (English only), I.R.I.S. Cardiris[a] -2.0 business card organizer OCR software, Iris Read—Iris 6.0 ocr, Panorama Maker 2000, CorelDraw 9.0	Epson Scan Server Epson Netwerk Twain Adobe PhotoshopDeluxe Xerox Textoride Pro		
OPTIONS	hardware-netwerkbox IEEE 1394, transparancy unit, aut. doc. feeder	3 year warranty On-Site	Duplex-sheetfeeder 30 sh A3; Hardware Networkbox	3 year warranty on-site	3 year warranty on-site
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.epson.be	www.scanjet.hp.com	www.epson.be	www.digitalsender.hp.com	www.digitalsender.hp.com
WHY BUY?	*1. Transparancy unit standard deliverd with Photo version 2. Firewire in option 3. Optional automatic document feeder (30 pages)*	*1. ease of use hp precisionscan 3.0 software 2. dual sensor for speed & quality 3. a lot of top software titles 4. 6 easy scan-to-buttons 5. scsi unit for top quality*	*1. A3 scanner for business 2. Optional 10 ppm automatic document feeder 3.Optional Network Image Express for direct network scanning*	*1. work towards a paperless office 2. digitalize & send any document via your e-mail network*	*1. work towards a paperless office 2. digitalize & send any document via your e-mail network*

MODEL	EPSON Expression 1640XL	HP Digital Sender 9100	HP Digital Sender 9100	HP Digital Sender 9100	EPSON GT-30000
PRICE EUR	3.896,20 EUR	5.299 EUR	5.499 EUR	5.499 EUR	6.579,98 EUR
		-	-	-	
PARTNR.	B11B121021GA	C1313A	C1315A	C1316A	B11B106031GA
ARTNR.	540164	EN: 349556 ; FR: 349560 ; NL: 349558	EN: 349749 ; FR: 350393	EN: 349753 ; FR: 350395	587967
SCANNER TYPE	A3+ Flatbed colorscanner	A4 Flatbed e-document solution	A4 Flatbed e-document solution	A4 Flatbed e-document solution	A3 Flatbed colorscanner
RESOLUTION OPTICAL	1600x3200 dpi	-	-	-	600 x 1200 dpi
RESOLUTION INTERPOLATED	6400 dpi	-	-	-	9600 dpi
COLOR DEPTH	42-bit	-	-	-	36/24 bit
SCANNING AREA	297 x 432 mm	-	-	-	297 x 432 mm
TRANSMISSIVE	-	-	-	-	-
SCANNING SPEED	Mono: 4,5 ms/regel = circa 120 sec voor DIN A3, 1600 dpi, High-Speed-modus; - Kleur: 13,2 ms/regel - circa 6 minuten voor DIN A3, 1600 dpi, High-Speed-modus	feed speed, black: B/W document 15 ppm, color document 4 ppm	feed speed, black: B/W document 15 ppm, color document 4 ppm	feed speed, black: B/W document 15 ppm, color document 4 ppm	0,39 ms/line
INTERFACE	1 x USB standard, 2 x SCSI standard	hp jetdirect RJ-45 (10Base-T)	hp jetdirect Token Ring	hp jetdirect RJ-45 (10/100Base-T)	1x SCSI-II, 68 pin, 1x SCSI-II, 50 pin
OS	W98/2000/ME, Mac System 8.1 of hoger, W95/NT 4.0, Mac System 7.5 of hoger alleen via de SCSI-aansluiting	TCP/IP network with SMTP e-mail server	TCP/IP network with SMTP e-mail server	Windows® 95 or higher, Windows NT 4.x TCP/IP network with SMTP e-mail server	Windows 95, 98, Windows ME/2000/2000Pro, Windows NT 4.0 WS
FEATURES	-				-
SOFTWARE	EPSON Scan Server; EPSON Network TWAIN; Adobe Photoshop LE; Scansoft Textbride Pro; Lasersoft Silverfast 5.0				EPSON Scan Server, EPSON TWAIN HS Network, EPSON TWAIN HS, ISIS driver
OPTIONS	Network-hardware; 3 year warranty On-Site	3 year warranty on-site	3 year warranty on-site	3 year warranty on-site	hardware-netwerkbox IEEE 1394
WARRANTY	1 year carry-in	1 year on-site	1 year on-site	1 year on-site	1 year carry-in
WEBSITE	www.epson.be	www.digitalsender.hp.com	www.digitalsender.hp.com	www.digitalsender.hp.com	www.epson.be
WHY BUY?	*1.Optional EPSON Network Image Express for direct network scanning 4.Optional transparency unit & automatic document feeder*	*1. work towards a paperless office 2. digitalize & send any document via your e-mail network*	*1. work towards a paperless office 2. digitalize & send any document via your e-mail network*	*1. work towards a paperless office 2. digitalize & send any document via your e-mail network*	*1.100-page duplexing ADF as standard 2. Optional Network Image Express hardware scanner server 3.Quick start scanning button*

VERGELIJKENDE TABELLEN

MODEL	BENQ DC 300 mini	BENQ DC 1300	FUJI FX-A101	OLYMPUS C-120
PRICE EUR	99 EUR	199 EUR	272 EUR	299 EUR
PARTNR.	98.T0667.90G	99.T0767.91E	44051	503321137585
ARTNR.	728885	728884	695413	738009
CCD RESOLUTION	640 x 480 pixels	1,3 megapixels	1,3 mio pixels	2,11 mio pixels
VIEWFINDER	Optical	Optical & LCD	Optical & LCD	Optical & LCD
LCD MONITOR	LCD Status Display	Mono Status LCD	1,6" D-TFD Colour	4,1 cm colour TFT LCD, 61.000 pixels
MEMORY INCLUDED	8 MB internal SDRAM	16 MB internal Flash	8 MB	8 MB
MEMORY TYPE	internal memory	internal memory	Smartmedia	SmartMedia
NUMBER OF IMAGES	107 (with 8 MB internal SDRAM)	depending resolution	12 - 46	1 - 47 (with 8 MB)
FILE FORMAT	BMP	JPEG, WAV, AVI, QVGA	JPEG / AVI	JPEG/DPOF/Quick Time Motion JPEG
LENS FOCAL LENGTH	F = 6,2 mm ; F NO. = 2,8	F = 2,8 mm	36 mm	35 mm
FOCUS DISTANCE	1 m - infinity	Standard: 1,5 m - infinity Macro: 30 cm - 50 cm	Normal: 80cm ; Macro: 20cm	2,5 x digital zoom - Standard: 60 cm - infinity ; Macro: 25 cm - infinity
SHUTTER SPEED	electronic, 1/15~1/8000 sec	Electronic Shutter	1/2 - 1/1000 seconds	1/2 - 1/2000 seconds
POWER	1 x AAA alkaline batteries	2 x AAA alkaline or Ni-MH batteries	2 AA Alkaline batteries	2 x lithium batteries LB-01 (CR-V3), 4 x AA Ni-MH batteries, 4 x AA lithium batteries, 4 x AA NiCd batteries, AC adaptor (optional)
VIDEO OUT	-	-	No	PAL
INTERFACE	USB	USB	USB	USB
PLATFORM	Win XP/ME/2000/98 ; Pentium MMX or above	Win98/98SE/2000/ME/XP	Windows / Mac	Windows & Mac
WARRANTY	2 year carry-in	2 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.benq.nl	www.benq.nl	http: //home.fujifilm.com	www.olympus.be
PACKAGE CONTENTS	DC300 mini, USB cable, 1 x AAA Alkaline battery, Neck strap, Driver and AP, Quick guide	DC1300, 2 x AAA Alkaline Battery, Neck strap, Bag, USB Cable, User's manual, Driver & AP	A101 / 8 MB SmartMedia / 2 AA-batteries / Hand Strap / USB Cable / Software for Finepix	8 MB Smartmedia Card, Camedia Software 4.0, 2 AA batteries, USB cable, Strap.
WHY BUY?	*1. Ultra Compact 2. Super light and oh-so easy 3. Tiny in Size & versatile in functionality*	*1. Classy look 2. Movie clips possibility & easy to use*	*1. Low Power Consumption 2. Pocket-Sized 3. Video Clip 4. Webcam function*	*1. Easy to operate 2. Focus Free 3. Low Power Consumption*

MODEL	HP PhotoSmart 612	SONY DSC-P51 (from June)	FUJI FX-2600	BENQ DC 3310	NIKON CoolPix 2500
PRICE EUR	399 EUR	472 EUR	495 EUR	499 EUR	549 EUR
PARTNR.	C8908A	DSC-P51	44050	99.T0267.90E	18208899210
ARTNR.	685143	719397	695414	728882	738011
CCD RESOLUTION	2,3 MP	2.0 Megapixel	2 mio pixels	3,34 megapixels	2,11 mio pixels
VIEWFINDER	Optical	Optical & LCD	Optical & LCD	Optical & LCD	Optical & LCD
LCD MONITOR	4,5 cm	1,6" TFT LCD	1,8" D-TFD Colour	1,8" colour Flat Type TFT/ 120.000 pixels	1,5 inch colour TFT LCD, 110.000 pixels
MEMORY INCLUDED	8 MB internal memory	8MB Memory Stick	16 MB	16 MB	8 MB
MEMORY TYPE	CompactFlash Card	Memory Stick	Smartmedia	CompactFlash Card	CompactFlash Card
NUMBER OF IMAGES	113	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	20 - 75	depending resolution	1 - 29 (with 8 MB)
FILE FORMAT	-	JPEG, MPEG, TIFF,GIF, MPEG Movie HQX (w/o audio), Clip Motion	JPEG / AVI	JPEG (EXIF 2.1), DPOF-compatible, MOV	JPEG/Quick Time Movie
LENS FOCAL LENGTH		6,3-12,6 (35mm conversion: 41-82)	38 - 114 mm	F = 8,2 mm ; 2 x digital zoom	37 mm - 111 mm
FOCUS DISTANCE	5,77mm to 10,86mm - wide: f3,53-f6,62 - tele: f4,67-f8,73 - 2 x digital - 2 x optical zoom		Normal: 80cm ; Macro: 10cm	Standard: 0,3 m - infinity Macro: 30 cm - 70 cm	3 x optical zoom ; 4 x digital zoom Standard: 30 cm - infinity, Macro 4 cm
SHUTTER SPEED	1/500 to 1/4 sec	Auto	1/2 - 1/1000 seconds	1/30 - 1/500 sec.	1/3000 - 2 seconds
POWER	4 AA bat (incl.)	Stamina NiMH batteries (supplied)	2 AA NiMh batteries	Rechargeable Lithium battery (700 mah), Ac adapter, Battery charger	1 rechargeable Li-ion battery EN-EL2, Ac Adaptor kit EH-60 (optional)
VIDEO OUT	-	Video Out	No	NTSC/PAL	NTSC/PAL
INTERFACE	USB 2.0	USB	USB	USB	USB
PLATFORM	Win 98/ME/2000/NT4.0/XP-USB Mac OS 8.6 or higher	Windows / Mac	Windows / Mac	Win98/98SE/2000/ME/XP MAC OS 9.0 above	Windows & Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	2 year carry-in	1 year carry-in
WEBSITE	www.hp.com/photosmart	www.sony.be	http: //home.fujifilm.com	www.benq.nl	www.nikon.be
PACKAGE CONTENTS	wrist strap, lens cap, 4 AA batteries, USB cable, user guide, setup poster, CD with HP photo imaging software ncluding HP Share-to-web software for Microsoft Windows, ArcSoft PhotoImpression software with auto-matic image unload for Macintosh	2xAA NihM batteries, 8MB Memory Stick, Video connecting cable, Pixel Image Mixer Software	FX-2600 / 16 MB SmartMedia / 2 AA-NiMH Batteries / Battery Charger / Hand Strap / USB-cable / Software for Finepix	DC3310, AC Adaptor, Charger, Rechargeable Lithium battery, USB cable, TV cable, CD-ROM, Manual, Quick Start Guide, Hand strap, 16 MB CompactFlash Card, Pouch	CoolPix 2500, Strap, 8 MB CompactFlash Card, USB cable, Rechargeable Li-ion battery EN-EL3, Battery Charger MH-60, Nikon View 5 (CoolPix) CD-ROM
WHY BUY?	*1. User friendley hp photo imaging software 2. easy point-and-shoot*	*1. Pre-flash 2. Multiburst 3. Picture effects: Solarization, Black & white, sepia*	*1. Complete package: incl. rechargeable batteries and charger, for a competitive price 2. Lens protected by lenscap 3. Supplied with 16 MB memory*	*1. Movie Clips with sound/ Nice Retro Design 2. Large 1.8" TFT Color LCD & extensive software bundle*	*1. Easy to operate 2. Easy transfer to PC 3. Low Power Consumption*

MODEL	HP PhotoSmart 318	BENQ DC 2110	CANON Powershot A30 / A40	OLYMPUS C-220
PRICE EUR	319 EUR	339 EUR	A30: 341,00 EUR A40: 473,00 EUR	399 EUR
PARTNR.	C8900A	99.T0967.90E	7635A015 (A30) - 7634A016 (A40)	50332137547
ARTNR.	641958	728880	740112 (A30) 740114 (A40)	738010
CCD RESOLUTION	2,3 MP	2,1 megapixels	1,2 Megapixel (A30) - 2,0 Megapixel (A40)	2,11 mio pixels
VIEWFINDER	Optical	Optical & LCD	optical & LCD	Optical & LCD
LCD MONITOR	4,5 cm	1,5" colour TFT/ 100.000 pixels	1,5" TFT colour LCD	3,8 cm colour TFT LCD, 114.000 pixels
MEMORY INCLUDED	8 MB internal memory	16 MB	8MB CF card	8 MB + 16MB
MEMORY TYPE	CompactFlash Card	SmarMedia Card	Compact Flash Type I	SmartMedia
NUMBER OF IMAGES	113	depending resolution	2,5 per sec (high speed)	1 - 49 (with 8 MB)
FILE FORMAT	-	JPEG, Motion JPEG, DPOF-compatible, QVGA	Still: JPEG or RAW - Movie: AVI	JPEG/DPOF/Quick Time Motion JPEG
LENS FOCAL LENGTH	35mm	F = 6,8 mm ; 2 x digital zoom	35-105mm	38 mm - 114 mm
FOCUS DISTANCE	2 x digital zoom - TTL auto focus: 10cm to infinity	Standard: 0,6 m - infinity Macro: 20 cm - 60 cm	Normal: 76cm - infinity - Macro: 16cm(W)/26cm(T)-76cm	3 x optical zoom / 2,5 x digital zoom - Standard: 50 cm - infinity ; Macro: 20 cm - 50 cm
SHUTTER SPEED	320ms to 3,2ms	Electronic 1/4 - 1/1000 sec.	1 - 1/1500 sec	1/2 - 1/1000 seconds
POWER	4 AA bat (incl.)	2 X AA alkaline or Ni-MH batteries, AC adapter (optional)	A4 batteries: Alkaline, NiMH, compact power adapter	1 x lithium batteries LB-01 (CR-V3), 2 x AA alkaline batteries, 2 X AA Ni-MH batteries, 2 x AA lithium batteries, 2 x AA NiCd batteries, AC adaptor (optional)
VIDEO OUT	-	NTSC/PAL	PAL / NTSC	PAL
INTERFACE	USB/Cflash	USB	A30: Video output, USB, CompactFlash Type I - A40: Audio/Video output, USB, Comact Flash type I	USB
PLATFORM	Win 98/ME/2000/XP-USB Mac OS 8.6 or higher	Win98/98SE/2000/ME/XP, MAC OS 9.0 above	Windows, MAC	Windows & Mac
WARRANTY	1 year carry-in	2 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.hp.com/photosmart	www.benq.nl	www.canon.be	www.olympus.be
PACKAGE CONTENTS	includes 4 AA batteries/ USB-cable/wrist strap/ software CD/ quick starter guide and manual/ manuals on CD	DC2210, 2 X AA Alkaline batteries, 16 MB SmartMedia Card, USB cable, TV cable, Software CD-ROM, User's Manual, Hand strap, Pouch	Software: PhotoStitch, PhotoRecord, Zoombrowser EX, RemoteCapture (Win), Raw Image Converter, ArcSoft PhotoImpression, ArcSoft VideoImpression, Accu NB-2L, battery charger	8 MB + 16 MB SmartMedia Card, Camedia Software 4.0, 2 AA Batteries, USB Cable, Video Cable, Strap.
WHY BUY?	*1. User frindley hp photo imaging software 2. compact desging 3. easy automatic operation*	*1. Stylish Design 2. Distinct 1.5" TFT color 3. Extensive software bundle*	*1. Movie clip function 2. Direct print function to CP10/CP100 3. Std. 8 MB compactflash card*	*1. Ultra Compact 2. Optical Real Image View finder 3. Easy to Operate*

MODEL	CANON Digital IXUS V²	SONY DSC-P71	FUJI FX-30i	FUJI FX-2800	HP PhotoSmart 715
PRICE EUR	573 EUR	589 EUR	599 EUR	629 EUR	639 EUR
PARTNR.	7647A001	DSC-P71	44125	44127	C8913A
ARTNR.	732892	719398	707994	707524	641959
CCD RESOLUTION	2 Megapixel	3.2 Megapixel	2 mio pixels	2 mio pixels	3,3 Megapixel
VIEWFINDER	optical & LCD	Optical & LCD	Optical & LCD	Optical & LCD	Optical
LCD MONITOR	1,5" TFT colour LCD	1, 5" TFT LCD	1,8" D-TFT Colour	1,8" amorphous silicon TFT	4,5 cm
MEMORY INCLUDED	8MB CF card	16MB Memory Stick	No	16 MB	16 MB
MEMORY TYPE	Compact Flash Type I	Memory Stick	Smartmedia	Smartmedia	CompactFlash Card
NUMBER OF IMAGES	2,5 per sec	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	20 - 75	20 - 75	5-79 on 8MB CFlash
FILE FORMAT	Still: JPEG Movie: AVI	JPEG, MPEG, TIFF,GIF, MPEG Movie EX, Clip Motion	JPEG / AVI	JPEG / AVI	-
LENS FOCAL LENGTH	35-70mm	8-24mm (35mm conversion: 39-117mm)	38 mm	38 - 228 mm	34 - 102 mm
FOCUS DISTANCE	Macro: 10(W)/27(T)cm Normal: 57cm - 8 - Landscape: 5m - 8	AF: 500mm-infinity	Normal: 60cm ; Macro: 8cm	Normal: 80cm ; Macro: 10 cm	3x optical - 2x digital zoom
SHUTTER SPEED	15 - 1/1500 sec	Auto	1/2 - 1/1000 seconds	1/2 - 1/1500 seconds	1/40 - 1/3sec
POWER	Li-ion rechargeable battery	Stamina NiMH batteries (supplied)	2 AA NiMh batteries	4 AA Alkaline batteries	4 AA bat (incl.)
VIDEO OUT	PAL / NTSC	Video Out	No	No	-
INTERFACE	USB, Audio/Video output, Compact Flash type I	USB	USB	USB	USB/Cflash
PLATFORM	Windows, MAC	Windows / Mac	Windows / Mac	Windows / Mac	Win 98/ME/2000/XP & Mac OS 8.6 or higher
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.canon.be	www.sony.be	http: //home.fujifilm.com	http: //home.fujifilm.com	www.hp.com/photosmart
PACKAGE CONTENTS	Software: Windows 98/Me/2000/ XP:RAW Image Converter 2.0 1;ZoomBrowserEX 3.3 1;PhotoRecord 1.4 1; PhotoStich 3.1 1; RemoteCapture 2.4 1; Mac OS 8.6 – 9.2; RAW Image Converter 2.0 1; ImageBrowser 2.3 (Mac OS X v10.1 support); 1 PhotoStich 3.1 (Mac OS X v10.1 support); 1 RemoteCapture 2.4 1; Manuals	2xAA NihM batteries, 16MB Memory Stick, Video connecting cable, Pixel Image Mixer Software	FX-30i / 2 AA-NiMH batteries / Battery Charger / Hand Strap / USB Cable / Headphone with remote controller / Software for Finepix incl. Realjukebox 2 & Mac MP3	FX-2800 / 16 MB SmartMedia / 4 AA batteries / Shoulder Strap / USB Cable / Software for Finepix	shoulder strap/ 16 MB CFlash -memory card/4 AA batteries/ USB cable/ quick start guide and on-line help/accessory catalog/ hp photo imaging software (PC only)/ Arcsoft PhotoImpression (Mac only)
WHY BUY?	*1. Super slim design 2. Direct print function to CP10/CP100 3. Landscape/portrait orientation detection sensor*	*1. Red eye reduction 2. Picture effects: Solarization, black & white, Sepia*	*1. Sleek Design and Pocket-Sized 2. Rechargeable batteries and charger included 3. Digital Camera and MP3-player in one*	*1. 6 x optical zoom, electronical shutter 2. video- and voicefunction 3. Low Power Consumption and a sleek design*	*1. User friendley hp photo imaging software 2. energy saving display 3. easy point-and-shoot*

VERGELIJKENDE TABELLEN

	SONY	CANON	OLYMPUS	OLYMPUS
MODEL	**DSC-P2 (from June)**	**Digital Ixus 330**	**C-700**	**C-3020**
PRICE EUR	**698 EUR**	**693 EUR**	**699 EUR**	**699 EUR**
PARTNR.	DSC-P2	7644A001	50332133945	50332135208
ARTNR.	736924	732894	619616	713414
CCD RESOLUTION	2.1 Megapixel	2 Megapixel	2,11 mio pixels	3,34 mio pixels
VIEWFINDER	Optical & LCD	optical & LCD	Optical & LCD	Optical & LCD
LCD MONITOR	1, 5" TFT LCD	1,5" TFT colour LCD	3,8 cm colour TFT LCD, 114.000 pixels	4,5 cm colour TFT LCD, 123.000 pixels
MEMORY INCLUDED	16MB Memory Stick	8MB CF card	8 MB	16 MB
MEMORY TYPE	Memory Stick	Compact Flash Type I	SmartMedia	SmartMedia
NUMBER OF IMAGES	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	2,5 per sec	1 - 82 (with 8 MB)	1 - 165 (with 16 MB)
FILE FORMAT	JPEG, MPEG1, MPEG Movie EX, Clip Motion, Voice Memo	Still: JPEG - Movie: AVI	TIFF/JPEG/DPOF/QuickTime Motion/WAV (geluid)	TIFF/JPEG/DPOF/QuickTime Motion
LENS FOCAL LENGTH	6-18mm (35mm conversion: 39-117mm)	35-105mm	38 mm - 380 mm	32 mm - 96 mm
FOCUS DISTANCE	AF: W: 0,5m- infinity T: 0,5m-infinity - Macro AF: W: 0,1m-infinity T: 0,5m-infinity	Macro: 16(W)/26(T)–76cm Normal: 76cm - ∞ Landscape: 5m - ∞	10 x optical zoom / 2,7 x digital zoom 0,1 m (wide angle) ; 1,2 m - infinity (tele)	3 x optical zoom / 2,5 x digital zoom - Standard: 80 cm - infinity ; Macro: 20 cm - 80 cm
SHUTTER SPEED	Auto	15 - 1/1500 sec	1/2 - 1/1000 seconds	4 - 1/800 seconds
POWER	InfoLithium Type C battery	Li-ion rechargeable battery	2 x CR-V3 lithium batteries Olympus LB-01 2PE, 4 x AA Ni-MH batteries, NiCd batteries, Alkaline batteries, Lithium batteries, AC adaptor (optional)	2 X CR-V3 lithium batteries, 4 x AA Ni-MH batter-ies, AA lithium batteries, AA alkaline batteries, AA NiCd batteries, AC adaptor (optional)
VIDEO OUT	AV out	PAL / NTSC	PAL	PAL
INTERFACE	USB	USB, Audio/Video output, Compact Flash type I	USB	USB
PLATFORM	Windows / Mac	Windows, MAC	Windows & Mac	Windows & Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.sony.be	www.canon.be	www.olympus.be	www.olympus.be
PACKAGE CONTENTS	Battery, AC adaptor, 16MB Memory Stick, Video connecting cable, Pixel Image Mixer versie 1.0, USB Driver, wrist strap	Software: Windows 98 (inc. Second Edition) / Me / 2000 / XP. RAW Image Converter 2.0 1; ZoomBrowserEX 3.3 1; PhotoRecord 1.4 1; PhotoStich 3.1 1; RemoteCapture 2.4 1; PhotoImpression 3.0 1; VideoImpression 1.6 1; Mac OS 8.6 – 9.2.; RAW Image Converter 2.0 1; ImageBrowser 2.3 1; PhotoStitch 3.1 1; RemoteCapture 2.4 1; Application Software (ArcSoft Camera Suite); PhotoImpression 3.0 1; VideoImpression 1.5 1; Manuals	8MB Smartmedia Card, Camedia Software, 2 Lithium Batteries LB-01E, Lenscap, USB Cable, Strap.	16 MB Smartmedia Card, Camedia Software, Camedia Suite, 4 AA Batteries, Lenscap, USB Cable, Strap.
WHY BUY?	*1. Even brightness Picture 2. built-in microphone & speaker 3. Playback zoom (5x)*	*1. Prestige compact & stylish camera 2. Direct print to CP10/CP100 3. Built-in speaker*	*1. 10 x Optical Zoom 2. Auto Bracketing 3. USB*	*1. 5 Programs 2. USB Auto Connect 3. up to 1,7 frames per seconds*

	SONY	CANON	SONY	SONY	OLYMPUS
MODEL	**DSC-P5**	**Powershot S30**	**DSC-S75**	**DSC-P9**	**C-40**
PRICE EUR	**858 EUR**	**893,00 EUR**	**912 EUR**	**927 EUR**	**949 EUR**
PARTNR.	DSC-P5	S30: 7299A011	DSC-S75	DSC-P9	50332134942
ARTNR.	639339	S30: 740116	597352	736926	706481
CCD RESOLUTION	3,2 Megapixel	3,2 Megapixel (S30)	3.2 Megapixel	4.0 Megapixel	4,13 mio pixels
VIEWFINDER	Optical & LCD	optical & LCD	Optical & LCD	Optical & LCD	Optical & LCD
LCD MONITOR	1, 5" TFT LCD	1,8" TFT colour LCD	1, 8" TFT LCD	1, 5" TFT LCD	3,8 cm colour TFT LCD, 114.000 pixels
MEMORY INCLUDED	8MB Memory Stick	16 MB CF card	8MB Memory Stick	16MB Memory Stick	16 MB
MEMORY TYPE	Memory Stick	Compact Flash Type I & II	Memory Stick	Memory Stick	SmartMedia
NUMBER OF IMAGES	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	S30: 2 per sec (max. 12)	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	1 - 165 (with 16 MB)
FILE FORMAT	JPEG, MPEG1, TIFF,GIF, Voice Memo	Still: JPEG or RAW - Movie: AVI	JPEG, MPEG1, TIFF,GIF, Clip Motion, Video Mail, MPEG Movie EX	JPEG, MPEG1, MPEG Movie EX, Clip Motion, Voice Memo	TIFF/JPEG/DPOF/QuickTime Motion/WAV (geluid)
LENS FOCAL LENGTH	8-24mm (35mm conversion: 39-117mm)	35-105mm	7-21 (35mm conversion: 34-102mm) -	8-24mm (35mm conversion: 39-117mm)	35 mm - 98 mm
FOCUS DISTANCE	AF: W: 0,5m- infinity T: 0,6m-infinity Macro AF: W: 0,1m-infinity T: 0,6m-infinity	Normal: 80cm - infinity Manual: 10cm (W) / 30cm (T) - infinity - Macro: 10cm (W) / 30cm (T) - 80cm	AF: W: 500mm- infinity T: 0,6m-infinity - Macro AF: W: 40mm-infinity T: 200mm-infinity	AF: W: 0,5m- infinity T: 0,6m-infinity - Macro AF: W: 0,1m-infinity T: 0,6m-infinity	2,8 x optical zoom / 2,5 x digital zoom - Standard: 80 cm - infinity ; Macro: 10 cm - 80 cm (wide angle)/25 cm - 80 cm (tele)
SHUTTER SPEED	Auto	15 - 1/1500 sec	8 - 1/1000 sec	Auto	1/2 - 1/1000 seconds
POWER	High Stamina Battery (supplied)	NB 2L Li-ion rechargeable battery and AC adapter kit ACK 700	High Stamina Battery (supplied)	Stamina Infolithium Battery	CR-V3 lithium battery, 2 AA Ni-MH batteries, AA lithium batteries, AA alkaline batteries, AA NiCd batteries, AC adaptor (optional)
VIDEO OUT	AV out	PAL / NTSC	AV out	AV out	PAL
INTERFACE	USB	USB, Audio/Video output, Compact Flash type I & II	USB	USB	USB
PLATFORM	Windows / Mac	Windows, MAC	Windows / Mac	Windows / Mac	Windows & Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.sony.be	www.canon.be	www.sony.be	www.sony.be	www.olympus.be
PACKAGE CONTENTS	Battery NP-FC10,AC Adapter,VIDEO connect-ing cable,USB cable, Memory Stick (8MB), Wrist strap,CD-ROM, PhotoSuiteV8.1/SE V1.1 + VideoWave SE + USB Driver	Software: PhotoStitch, PhotoRecord, Zoombrowser EX, RemoteCapture (Win), (ArcSoft PhotoImpression, ArcSoft VideoImpression only for A40), Alkaline batteries	Battery pack NP-FM50, AC Power Adaptor AC-L10, Power Cord, A/V connecting cable, USB cable, Memory Stick (8MB), CD-ROM, Operating instructions, Photo Suito 8.1, Photo Suite SE V1.1, VideoWave SE, USB Driver	Battery, AC Adapter,VIDEO connecting cable,USB cable, Memory Stick (16MB), Wrist strap,Pixel Image mixer v 1.0, USB Driver	16 MB Smartmedia Card, Camedia Software, Remote Control RM-1, Lithium Batterie, Video Cable, USB Cable, Strap.
WHY BUY?	*1. Red eye reduction 2. 14 bit DXP 3. Power Save Mode*	*1. Direct Print function with CP10/CP100 2. Movie mode & sound annotation 3. Standard delivered with 16 MB compactflash card*	*1. Carl Zeiis Vario lens 2. Picture effects: Solarization, black & white, Sepia*	*1. MPEG Movie HQX (with audio) 2. Even brightness picture*	*1. Ultra-Compact 2. Noise Reduction 3. Pixel Mapping*

	NIKON	HP	FUJI	HP
MODEL	**CoolPix 885 silver**	**PHOTOSMART 812**	**F601 Zoom**	**PhotoSmart 812 + docking station**
PRICE EUR	**699 EUR**	**749 EUR**	**749 EUR**	**799 EUR**
PARTNR.	18208898817	Q2146A	44748	Q2148A
ARTNR.	696923	725588	742800	725718
CCD RESOLUTION	3,37 mio pixels	4,13 MP	3,3 mio pixels (Super CCD)	4,13 MP
VIEWFINDER	Optical & LCD	Optical	Optical & LCD	Optical
LCD MONITOR	1,5 inch colour TFT LCD, 110.000 pixels	3,8 cm	1,5" low temp. TFT	3,8 cm
MEMORY INCLUDED	16 MB	16 MB	16 MB	16 MB
MEMORY TYPE	CompactFlash Card	Secure Digital Card	Smartmedia	Secure Digital Card
NUMBER OF IMAGES	1 - 39 (with 16 MB)	6-128	6 - 33	6-128
FILE FORMAT	JPEG/TIFF//MOV/DPOF	DCF & MPEG	JPEG / AVI	DCF & MPEG
LENS FOCAL LENGTH	38 mm - 114 mm	Wide/Telephoto: 40cm to infinity	36 - 108 mm	Wide/Telephoto: 40cm to infinity - Macro:
FOCUS DISTANCE	3 x optical zoom 4 x digital zoom - Standard: 30 cm - infinity at widest angle/60 cm - infinity at telephoto ; Macro: 4 cm - infinity/30 cm - infinity	Macro: 6cm (W) /20cm (T) - 70cm 3x optical - 7x digital zoom	Normal: 60cm ; Macro: 20cm	6cm (W) /20cm (T) - 70cm 3x optical - 7x digital zoom
SHUTTER SPEED	8 - 1/1000 seconds	12 to 1/2000 sec	3 - 1/2000 seconds	12 to 1/2000 sec
POWER	1 rechargeable Li-ion battery EN-EL1, 6 volt 2CR5 (DL245) lithium battery, AC adaptor (optional), Battery Charger EH-21 (optional)	2 AA bat (incl)	Lithium-Ion battery	2 AA bat (incl)
VIDEO OUT	NTSC/PAL	-	Only in picture cradle	-
INTERFACE	USB	USB 2.0/SD	USB	USB 2.0; video out connector & SD
PLATFORM	Windows & Mac	Win 98/ME/2000/XP & Mac OS (9.1 or high-er, X 10,1 or higher)	Windows / Mac	Win 98/ME/2000/XP Mac OS (9.1 or higher, X 10,1 or higher)
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.nikon.be	www.hp.com/photosmart	http: //home.fujifilm.com	www.hp.com/photosmart
PACKAGE CONTENTS	CoolPix 885 silver, Lens cap, Wrist strap, Video cable, 16 MB CompactFlash card, USB cable, Nikon View 4 (CoolPix) CD-ROM, Rechargeable Li-ion battery EN-EL1, Battery Charger MH-52	16 MB Secure Digital Card, 2 AA Photo Lithium batteries, wrist strap, software CD, quick start poster, user maual, USB-cable, USB host cable to printer, tiffen catalogue, accessories flyer, warranty card, dock insert	F-601Z / 16mb SmartMedia / Lithium-Ion battery / Hand Strap / USB Cable / AC Power Adapter / Software for Finepix	16 MB Secure Digital Card, hp docking station including AC Adapter, 2 AA NiMH bat-teries, wrist strap, software CD, quick start poster, user maual, USB-cable, USB host cable to printer, tiffen catalogue, accessories flyer, warranty card, dock insert
WHY BUY?	*1. 5 points AF system 2. Professional light metering system 3. Easy to operate*	*User friendley hp photo imaging software - capturing sound & vision (60sec.) - hp instant sharing (e-mail/print/save)*	*1. New generation Super CCD: 1600 iso - pictures! 2. 3X optical zoom and 4,4 x digital zoom 3. Competitive price 4. Innovative: with build-in joystick*	*1. User friendly hp photo imaging software 2. capturing sound & vision (60sec.) 3. hp instant sharing (e-mail/print/save) 4. docking station*

	CANON	FUJI	SONY	CANON	SONY
MODEL	**Powershot S40**	**S602 Zoom**	**DSC-S85**	**Powershot G2 / G2 Black**	**MVC-CD400 (from June)**
PRICE EUR	**993,00 EUR**	**1.059 EUR**	**1.073 EUR**	**G2: 1.238,99 EUR/G2 Black: 1.493 EUR**	**1.503 EUR**
PARTNR.	S40: 7298A010		DSC-S85	G2: 7099A026 - G2 Bl. 7099A023	MVC-CD400
ARTNR.	S40: 740117		621116	G2: 740115 - G2 Bl. 739507	733852
CCD RESOLUTION	4 Megapixel (S40)	3,3 mio pixels (Super CCD)	4.0 Megapixel	4 Megapixel	4.1 Megapixel
VIEWFINDER	optical & LCD	Optical & LCD	Optical & LCD	Optical with dioptre correction	LCD
LCD MONITOR	1,8" TFT colour LCD	1,8" low temp. TFT	1, 8" TFT LCD	1,8" TFT colour LCD	2,5" TFT LCD
MEMORY INCLUDED	16 MB CF card	Unknown	16MB Memory Stick	32 MB CF card	CD-R,CD-RW
MEMORY TYPE	Compact Flash Type I & II	Unknown	Memory Stick	Compact Flash Type I & II	8cm CD-R/RW
NUMBER OF IMAGES	S40: 1,5 per sec (max.9)	-	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	1,5 per sec (max.9)	
FILE FORMAT	Still: JPEG or RAW - Movie: AVI	TIFF-RGB / JPEG / AVI	JPEG, MPEG, TIFF,GIF	Still: JPEG or RAW - Movie: AVI	JPEG, MPEG1, TIFF,GIF, Clip Motion
LENS FOCAL LENGTH	35-105mm	35 - 210 mm	7-21 (35mm conversion: 34-102mm)	34-102mm	7-12mm (35mm conversion: 34-102mm)
FOCUS DISTANCE	Normal: 80cm - infinity Manual: 10cm (W) / 30cm (T) - infinity - Macro: 10cm (W) / 30cm (T) - 80cm	Normal: 50cm Super Makro: 1cm	AF: W: 500mm- infinity T: 0,6m-infinity - Macro AF: W: 40mm-infinity T: 200mm-infinity	Normal: 70cm - infinity - Manual: 6cm (W) / 20cm (T) - 70cm - Macro: 6cm (W) /20cm (T) - 70cm	AF: 500mm-infinity Macro AF: W: 40mm-infinity T: 200mm-infinity
SHUTTER SPEED	15 - 1/1500 sec	15 - 1/10000 seconds	8 - 1/1000 sec	15 - 1/1000 sec	8 - 1/1000 sec
POWER	NB 2L Li-ion rechargeable battery and AC adapter kit ACK 700	4 AA Alkaline batteries	High Stamina Battery (supplied)	BP-511 / BP-512 Li-ion rechargeable battery, AC-adapter and Car battery adapter	Infolithium Type M battery
VIDEO OUT	PAL / NTSC	NTSC output	AV out	PAL / NTSC	AV out
INTERFACE	USB, Audio/Video output, Compact Flash type I & II	USB	USB	USB, Audio/Video output, Compact Flash type I & II	USB
PLATFORM	Windows, MAC	Windows / Mac	Windows / Mac	Windows, MAC	Windows / Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.canon.be	http: //home.fujifilm.com	www.sony.be	www.canon.be	www.sony.be
PACKAGE CONTENTS	Software: PhotoStitch, PhotoRecord, Zoombrowser EX, RemoteCapture (Win), (ArcSoft PhotoImpression, ArcSoft VideoImpression only for A40), Alkaline bat-teries	Unknown	Battery pack NP-FM50, AC Power Adaptor AC-L10, Power Cord, A/V connecting cable, USB cable, Memory Stick (16MB), CD-ROM, Operating instructions, Photo Suito 8.1, Photo Suite SE V1.1, VideoWave SE, USB Driver	Software: PhotoStitch, PhotoRecord, Zoombrowser EX, RemoteCapture (Win), Raw Image Converter, Adobe Photoshop 5.0 LE, QuickTime 5,0 Movie Player, Accu BP-511, AC adapter	Battery , AC Power Adaptor, Power Cord, A/V connecting cable, USB cable,8cm CD-R, 8cm DC-RW , CD-ROM, Operating instructions, Pixela ImageMixer v 1.0, Shoulder strap and lens cap
WHY BUY?	*1. Direct Print function with CP10/CP100 2. Movie mode & sound annotation 3. Standard deliverd with 16 MB compact-flash card*	*1. Storage: SmartMedia and CF 2. Microdrive 3. Connection possibility: external flash & wide-angle or tele-objectif 4. Supermacro function till 1cm*	*1. Carl Zeiis Vario lens 2. Built-in Microphone & speaker 3. MPEG Movie/voice playback*	*1. G2 black special design 2. G2 black deliverd with 1 GB Microdrive 3. Until 8200 pictures in small/normal mode*	*1. Carl Zeiss Vario Sonnar 2. 14 bit DXP 3. CDR-RW*

Image: G2 Black

DIGITAL CAMERAS

	CANON	NIKON	SONY	OLYMPUS
MODEL	Powershot Pro90 IS	CoolPix 5000	DSC-F707	E-20 P
PRICE EUR	1.483,99 EUR	1.599 EUR	1.611 EUR	2.475 EUR
PARTNR.	C83-1003BX	18208899074	DSC-F707	50332135246
ARTNR.	589290	714051	639337	713415
CCD RESOLUTION	2,6 Megapixel	5,24 mio pixels	2/3" 5 Megapixel	5,24 mio pixels
VIEWFINDER	Colour electronic viewfinder with dioptre correction	Optical & LCD	Colour viewfinder	Optical & LCD
LCD MONITOR	1,8" TFT Colour LCD	1,8 inch colour TFT LCD, 110.000 pixels	1, 8" TFT LCD	4,5 cm colour TFT LCD, 118.000 pixels
MEMORY INCLUDED	16 MB CF card	32 MB	16MB Memory Stick	16 MB
MEMORY TYPE	CompactFlash type I & II	CompactFlash Card	Memory Stick	SmartMedia (compatible with SmartMedia, CompactFlash, Microdrive)
NUMBER OF IMAGES	7 per sec	1 - 51 (with 32 MB)	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB	1 - 49 (with 16 MB)
FILE FORMAT	Still: JPEG or RAW - Movie: AVI	JPEG/TIFF/DCF/DPOF/QuickTime Motion JPEG (Movie)	JPEG, MPEG1, TIFF, Voice Memo	TIFF/JPEG/DPOF
LENS FOCAL LENGTH	37-370mm	28 mm - 85 mm	9,7-48,5mm (35mm conversion: 38-190mm)	35 mm - 140 mm
FOCUS DISTANCE	W: 10cm - infinity T: 1m - infinity	3 x optical zoom ; 4 x digital zoom Standard: 50 cm - infinity ; Macro: 2 cm - infinity	AF: W: 0,5m- infinity T: 0,9m-infinity - Macro AF: W: 0,02m-infinity T: 0,9m-infinity	4 x optical zoom Standard: 60 cm - infinity ; Macro: 20 cm - 60 cm
SHUTTER SPEED	8 - 1/1000 sec	1/4000 - 8 seconds	Yes	1/18000 seconds high-speed shutter
POWER	BP-511 Li-ion rechargeable battery, AC-adapter and Car battery adapter	1 rechargeable Li-ion battery EN-EL1, 1 x 6V 2CR5/DL245 lithium battery, 6 x 1.5V LR6 (AA-size alkaline), 1.5V Lithium, 1.5V NiMH, 1.2V NiCd batteries with Power pack, AC adaptor (optional)	High Stamina Battery (supplied)	Lithium battery pack CR-V3 x 2, AA nickel metal-hydride batteries x 4, AA NiCd batteries x 4, AA alkaline-manganese batteries x 4, Lithium polymer battery (optional), AC adaptor (optional)
VIDEO OUT	PAL / NTSC	NTSC/PAL	AV out	PAL
INTERFACE	USB, RS-232C, Audio/Video output, Compact Flash type I & II	USB	USB	USB
PLATFORM	Windows, MAC	Windows & Mac	Windows / Mac	Windows & Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.canon.be	www.nikon.be	www.sony.be	www.olympus.be
PACKAGE CONTENTS	Software: PhotoStitch, PhotoRecord, Zoombrowser EX, RemoteCapture (Win), Raw Image Converter, Adobe Photoshop 5.0 LE, QuickTime 5,0 Movie Player, Accu BP-511, AC adapter	CoolPix 5000, Lens cap, Neck strap, AV cable, CompactFlash Card, USB cable, Rechargeable Li-ion battery EN-EL1, Battery Charger, Nikon View CD-ROM	Battery pack NP-FM50, AC Power Adaptor AC-L10, Power Cord, A/V connecting cable, USB cable, Memory Stick , CD-ROM, Operating instructions, Photo Suito 8.1, Photo Suite SE V1.1, VideoWave SE, USB Driver, Shoulder strap and lens cap	16 MB Smartmedia Card, Camedia Master 2,5, Camedia Suite, Remote Control RM-1, 2 Lithium Batteries LB-01, Lens Cap, Lens Hood, Video Cable, USB Cable, Strap,
WHY BUY?	*1. Supports compact flash cards type II & IBM Microdrive* *2. Compatible with all EX speedlites* *3. Powerfull zoom*	*1. Quick Time Movie* *2. Tilt LCD Display* *3. Fast AF system, zoom lens and shutter speed*	*1. Electrical viewfinder* *2. Playback slideshow* *3. Built-in Microphone & speaker with volume control*	*1. Super Fast Shutter Speeds* *2. Optical SLR View finder* *3. Aluminium body*

	NIKON	CANON	FUJI	
MODEL	D100	EOS D60	S2 Pro	
PRICE EUR	Approx. 3.300 EUR	3.393 EUR	3.900 EUR	
PARTNR.		7508A004		
ARTNR.		746199		
CCD RESOLUTION	6,31 mio pixels	6.3 Megapixels	6,17 mio pixels (Super CCD)	
VIEWFINDER	Optical & LCD	Viewfinder Superimposed Display	Optical & LCD	
LCD MONITOR	1,8 inch colour TFT LCD, 118.000 pixels	1,8" TFT Colour	1,8" low temp. TFT	
MEMORY INCLUDED	-	-	Unknown	
MEMORY TYPE	CompactFlash Card (+Microdrive compatible)	CompactFlash type I & II	Unknown	
NUMBER OF IMAGES	-	3 per sec (max.8)	-	
FILE FORMAT	RAW/TIFF/JPEG	Still: JPEG or RAW - Movie: AVI	JPEG / TIFF-RGB / CCD-RAW	
LENS FOCAL LENGTH	Depends of the Nikon lens	Approx. 1.6x	Interchange. Lens SLR-type	
FOCUS DISTANCE	Depends of the Nikon lens	in function of the objectif	-	
SHUTTER SPEED	30 - 1/4000 seconds, bulb mode	1/4000 to 30 sec	30 - 1/4000 seconds	
POWER	Li-ion Battery Pack EN-EL3 (7.2V DC), AC adaptor EH-5 (100-240V AC)	BP-511 Li ion rechargeable battery	4 AA Alkaline batteries 2 x 3V Lithium batteries	
VIDEO OUT	NTSC/PAL	PAL / NTSC	No	
INTERFACE	USB	1. USB - 2. Video output	USB	
PLATFORM	Windows & Mac	Windows, MAC	Windows / Mac	
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	
WEBSITE	www.nikon.be	www.canon.be	http: //home.fujifilm.com	
PACKAGE CONTENTS	D100, MH-18 Quick Battery Charger, Rechargeable Li-ion battery EN-EL3, USB cable, Video cable, Cap for LCD monitor, Net cable, Strap, Nikon View 5.1, Fotostation 4.5	Windows version: TWAIN Drive; WIA Driver; RAW Image Converter; Remote Capture; Zoom Browser EX; Photo Record; Photo Stitch - Mac OS version; Plug-In module; Plug-In module; USB Mounter; RAW Image Converter; Remote Capture; Image Browser; Photo Stitch	Unknown	
WHY BUY?	*1. ISO up to 1600* *2. 5 points AF* *3. 3 color modes 2 S-RGB and Adobe RGB*	*1. More menu & custom functions* *2. Compatible with all Eos accessories* *3. 6 mio pixels sensor*	*1. Pixel output: 12 mio pixels !* *2. Build upon the Nikon F80 body* *3. Save your files in ccd-raw mode*	

DIGITAL CAMCORDERS

	SONY	CANON	SONY	SONY
MODEL	DCR-TRV140	DM-MV500(i)	DCR-TRV240	DCR-TRV340
PRICE EUR	726 EUR	DM-MV500: 843,00 DM-MV500i: 943,00	944 EUR	944 EUR
PARTNR.	DCR-TRV140	DM-MV500: 7561A001 DM-MV500i: 7560A004	DCR-TRV240	DCR-TRV340
ARTNR.	717973	DM-MV500: 739762 DM-MV500i: 739508	719391	719392
IMAGE SIZE	Digital 8	MiniDV	Digital 8	Digital 8
CCD (PIXELS GROSS)	540K pixel	340 000	800K pixel	800K pixel
LCD MONITOR	2,5" Colour LCD	2.5"	2,5" Colour LCD	2,5" Colour LCD
OPTICAL/DIGITAL ZOOM	20xoptical / 560xdigital zoom	18x/360x	25xoptical / 700xdigital zoom	25xoptical / 700xdigital zoom
MEMORY MODE	-	-	-	Memory Stick
PHOTO MODE	Yes (interlace)	-	Yes (interlace)	Yes (interlace)
STEADY SHOT	Electronic	Electronic image stabilizer	Electronic	Electronic
AUDIO	PCM (12-16bit)	PCM Digital Stereo - 16bit-48kHz 2ch - 12bit-32kHz 4ch	PCM (12-16bit)	PCM (12-16bit)
SPECIAL FEATURES	DV out	DV-out and (MV-500i; only) DV-in + USB	DV in/out	DV out
INTERFACE	i-Link	IEEE-1394	i-Link	i-Link
PLATFORM	Windows / Mac	W95/98/M + Mac	Windows / Mac	Windows / Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.sony.be	www.canon.be	www.sony.be	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote commander, Stereo AV cable, 21pin adaptor, Lens Cap, Shoulder strap, USB driver, USB cable, Pixela IMageMixer ver 1.0	battery + charger, remote, power cables, cables: analog & videoF	Ac adaptor, Battery, Wireless remote commander, Stereo AV cable, 21pin adaptor, Lens Cap, Shoulder strap, USB driver, USB cable, Pixela IMageMixer ver 1.0	Ac adaptor, Battery, Wireless remote commander, Stereo AV cable, 21pin adaptor, 8MB Memory Stick, Lens Cap, Shoulder strap, USB driver, USB cable, Pixela IMageMixer ver 1.0
WHY BUY?	*1. USB streaming* *2. High Stamina Battery* *3. Super Night Shot*	*1. Bundle with free NewSoft VideoWorks 4.5 (temporary action)* *2. High performance canon lens* *3. Improved design*	*1. High Stamina Battery* *2. DV in/out* *3. USB Streaming*	*1. Memory Stick* *2. MPEG Movie* *3. High Stamina Battery*

	SONY	SONY	SONY	CANON
MODEL	DCR-TRV16	DCR-TRV18	DCR-TRV740	DM-MV550i
PRICE EUR	973 EUR	1.075 EUR	1.127 EUR	1.243 EUR
PARTNR.	DCR-TRV16	DCR-TRV18	DCR-TRV740	7558A004
ARTNR.	719393	719394	717972	739509
IMAGE SIZE	Mini DV	Mini DV	Digital 8	MiniDV
CCD (PIXELS GROSS)	800K pixel CCD	800K pixel CCD	1.070K Megapixel CCD	340 000
LCD MONITOR	2,5" Colour LCD	2,5" Colour LCD	2,5" Colour LCD	2.5"
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom	10xoptical / 120x digital zoom	15xoptical / 420x digital zoom	22x/440x
MEMORY MODE	-	Memory Stick	Memory Stick	-
PHOTO MODE	Yes (no interlace)	Yes (no interlace)	Yes (interlace)	Multimedia card / SD Card
STEADY SHOT	Electronic Super Steady Shot	Electronic Super Steady Shot	Electronic	Electronic image stabilizer
AUDIO	PCM (12-16bit)	PCM (12-16bit)	PCM (12-16bit)	PCM Digital Stereo - 16bit-48kHz 2ch 12bit-32kHz 4ch
SPECIAL FEATURES	DV out	DV out	DV in/out	DV-out and (MV-550i; only) DV-in + USB
INTERFACE	i-Link	i-Link	i-Link	IEEE-1394
PLATFORM	Windows / Mac	Windows / Mac	Windows / Mac	W95/98/M + Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.sony.be	www.sony.be	www.sony.be	www.canon.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote commander, Stereo AV cable, Lens Cap, USB driver, USB cable, ImageMixer, CRM CD Rom	Ac adaptor, Battery, Wireless remote commander, Stereo AV cable, Lens Cap, 8MB MemoryStick, USB driver, USB cable, ImageMixer, CRM CD Rom	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21pin adaptor, 8MB Memory Stick, Lens Cap, Shoulder strap, USB driver, USB cable, Pixela IMageMixer ver 1.0	battery + charger, remote, power cables, cables: analog & videoF
WHY BUY?	*1. Carl Zeis lens* *2. Super Night Shot / Colour*	*1. MemoryStick* *2. MPEG Movie EX*	*1. DV in/out* *2. 1,070 Megapixel CCD* *3. High Stamina Battery*	1. 22xoptical & 440x digital zoom *2.Improved design* *3.Improved connectivity through USB interface*

DIGITAL CAMCORDERS

MODEL	SONY DCR-TRV24	CANON DM-MV4 / -4i / -4i MC	SONY DCR-PC8	SONY DCR-TRV25
PRICE EUR	1.270 EUR	DM-MV4: 1.368,99 EUR - DM-MV4i: 1.483,99 EUR DM-MV4i MC: 1.593,99 EUR	1.422 EUR	1.423 EUR
PARTNR.	DCR-TRV24	DM-MV4: 7230A001 DM-MV4i: 7231A004 DM-MV4i MC: 7229A004	DCR-PC8	DCR-TRV25
ARTNR.	737048	DM-MV4: 685649 DM-MV4i: 740369 DM-MV4i MC: 740370	737034	719395
IMAGE SIZE	Mini DV	MiniDV	Mini DV	Mini DV
CCD (PIXELS GROSS)	1/4" 7 Megapixel CCD(1.070K pixel)	420 000	800K pixel CCD	1/4" 7 Megapixel CCD(1.070K pixel)
LCD MONITOR	2,5" Colour LCD	2.5"	2,5" Colour LCD	2,5" Colour LCD
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom	10x/40x	10xoptical / 120x digital zoom	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick	-	-	Memory Stick
PHOTO MODE	Yes (no interlace)	Multimedia card / SD Card	Yes (interlace)	Yes (no interlace)
STEADY SHOT	Electronic Super Steady Shot	Electronic	Electronic Super Steady Shot	Electronic Super Steady Shot
AUDIO	PCM (12-16bit)	PCM Digital Stereo - 16bit-48kHz 2ch 12bit-32kHz 4ch	PCM (12-16bit)	PCM (12-16bit)
SPECIAL FEATURES	DV out	DV-out and (MV-4i; MV-4i MC only) DV-in	DV in/out	DV in/out
INTERFACE	i-Link	IEEE-1394	-	i-Link
PLATFORM	Windows / Mac	W95/98/M + Mac	Windows / Mac	Windows / Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.sony.be	www.canon.be	www.sony.be	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB MemoryStick, USB driver, USB cable, ImageMixer, CRM CD Rom	battery + charger, remote, power cables, cables: analog & videoF	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21pin adaptor, Lens Cap, USB driver, USB cable, PhotoSuite, VideoWave	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB MemoryStick, USB driver, USB cable, ImageMixer, CRM CD Rom
WHY BUY?	*1. MemoryStick* *2. MPEG Movie EX* *3. Mega Handycam*	*1. MV4i/MV4imc with free AIST movie (temporary action) 2. Very compact design*	*1. DV in/out* *2. USB Streaming* *3. Carl Zeiss lens*	*1. DV in/out* *2. MPEG Movie EX* *3. Mega Handycam*

MODEL	SONY DCR-TRV27	SONY DCR-PC101	CANON DM-MVX1 / DM-MVX1i	SONY DCR-TRV50
PRICE EUR	1.513 EUR	1.800 EUR	DM-MVX1: 1.843,00 EUR DM-MVX1i: 1.993,00 EUR	2.153 EUR
PARTNR.	DCR-TRV27	DCR-PC101	DM-MVX1: 7091A003 DM-MVX1i: 7092A004	DCR-TRV50
ARTNR.	743208	743209	DM-MVX1: 741419 DM-MVX1i: 700992	737062
IMAGE SIZE	Mini DV	Mini DV	MiniDV	Mini DV
CCD (PIXELS GROSS)	1/4" 7 Megapixel CCD(1.070K pixel)	1,070K pixel CCD	1250 000	1/4" 1,5Megapixel CCD(1.550K pixel)
LCD MONITOR	3,5" Colour LCD	2,5" Colour LCD	2.5"	3,5 Colour LCD / Touch panel operation
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom	10xoptical / 120x digital zoom	10x/200x	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick	Memory Stick	-	Memory Stick
PHOTO MODE	Yes (no interlace)	Yes (No interlace)	Multimedia card / SD Card	Yes (interlace)
STEADY SHOT	Electronic Super Steady Shot	Electronic Super Steady Shot	Optical Image Stabilizer	Electronic Super Steady Shot
AUDIO	PCM (12-16bit)	PCM (12-16bit)	PCM Digital Stereo - 16bit-48kHz 2ch 12bit-32kHz 4ch	PCM (12-16bit)
SPECIAL FEATURES	DV in/out	DV in/out	DV-out and (MVX1i only) DV-in Audio out and (MVX1i only) Audio in S-video out and MVX1i only) S-video in	DV in/out
INTERFACE	i-Link	i-Link	IEEE-1394	i-Link
PLATFORM	Windows / Mac	Windows / Mac	W95/98/M + Mac	Windows / Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.sony.be	www.sony.be	www.canon.be	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB MemoryStick, USB driver, USB cable, ImageMixer, CRM CD Rom	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21pin adaptor, Lens Cap, 8MB Memory Stick, USB driver, USB cable, Pixela IMageMixer ver 1.0, Cleaning cloth for LCD	battery + charger, remote, power cables, cables: analog & videoF	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21 pin adapter, Lens Cap, 8MB MemoryStick, USB driver, USB cable, ImageMixer, Stylus, Cleaning cloth for LCD
WHY BUY?	*1. MemoryStick* *2. MPEG Movie EX* *3. Mega Handycam*	*1. USB Streaming* *2. Carl Zeiss lens* *3. Super Night Shot*	*1. Semi-professional Digital camcorder* *2. Standard deliverd with SD kit* *3. Free Softcase & Free card reader (temporay actions)*	*1. Network function* *2. web browser* *3. Bluetooth*

PROJECTORS

MODEL	SONY DCR-PC120	SONY DCR-IP55 (from June)	CANON DM-XM1	SONY DCR-IP7	CANON DM-XL1S
PRICE EUR	2.239 EUR	2.302 EUR	2.493,00 EUR	2.495 EUR	4.693,00 EUR
PARTNR.	DCR-PC120	DCR-IP55	2982A001	DCR-IP7	7047A001 679246
ARTNR.	679422	737105	740399	686205	
IMAGE SIZE	Network Mini DV	MICROMV	MiniDV	MICROMV	MiniDV
CCD (PIXELS GROSS)	1.550K pixel CCD	1,070K pixel CCD	300 000	800K pixel CCD	300 000
LCD MONITOR	2,5" Colour LCD	2,5" Colour LCD / Touch Panel	2.5"	2,5" Colour LCD	-
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom	10xoptical / 120x digital zoom	20x, 100x	10xoptical / 120x digital zoom	16x/32x
MEMORY MODE	Memory Stick	Memory Stick	-	Memory Stick	-
PHOTO MODE	Yes (interlace)	No	-	Yes (interlace)	-
STEADY SHOT	Electronic Super Steady Shot	Electronic Super Steady Shot	Optical Image Stabilizer	Electronic	Optical Image Stabilizer
AUDIO	PCM (12-16bit)	MPEG1 Audio Layer 2	PCM Digital Stereo 16bit-48kHz 2ch - 12bit-32kHz 4ch	MPEG1 Audio Layer 2	PCM Digital Stereo 16bit-48kHz 2ch - 12bit-32kHz 4ch
SPECIAL FEATURES	DV in/out	Bluetooth	DV-out and DV-in	Bluetooth	DV-out and DV-in
INTERFACE	i-Link	i-Link	IEEE-1394	i-Link	IEEE-1394
PLATFORM	Windows / Mac	Windows	W95/98/M + Mac	Windows	W95/98/M + Mac
WARRANTY	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in	1 year carry-in
WEBSITE	www.sony.be	www.sony.be	www.canon.be	www.sony.be	www.canon.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21pin adaptor, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave	Ac adaptor, Battery, Wireless remote comander, Lens Cap, List Strap, Memory Stick 8MB, USB driver, USB cable, Image Mixer, Stylus, cleaning cloth for LCD	battery + charger, remote, power cables, cables: analog & videoF	Ac adaptor, Battery, Wireless remote comander, Lens Cap, Shoulder strap, Memory Stick 8MB, PhotoSuite, VideoWave, USB driver, Movieshaker 3.1 for MICROMV, MICROMV cassette, MICROMV cleaning cassette, i.Link cable, USB cable	battery + charger, remote, power cables, cables: analog & videoF
WHY BUY?	*1. Movie MPEG* *2. Bleutooth* *3. Carl Zeiss lens*	*1. Carl Zeis lens* *2. Super Night Shot* *3. Bluetooth*	*1. High Performance Digital camcorder* *2. 1/4" 3 CCD* *3.Focus ring for easy manual focus*	*1. Bluetooth* *2. MemoryStick* *3. MICROMV in/out*	*1. Broadcast quality Digital camcorder* *2. 1/3" 3 CCD* *3. XL interchangeable lens system*

MODEL	EPSON EMP-51	SONY VPL-CS4	BENQ 7763PA	CANON LV-S1
PRICE EUR	2.722,50 EUR	2.776,95 EUR	3.099 EUR	3.125,00 EUR
PARTNR.	V11H061040	VPL-CS4	99.J1577.B41	7537A001
ARTNR.	722626	701124	729804	728336
TECHNOLOGY	3 x 0,7" TFT LCD panels	3 x 0,7 inch p-Si TFT LCD panel	0,7" DLP	SVGA / XGA compression
BRIGHTNESS	1200 ANSI Lumens	1000 ANSI-LUMEN	1100 ANSI-LUMEN	1000 ANSI Lm
LAMP	160W UHP Lamp	120W UHP Lamp	150 W	150W UHP
LENS		1.2 times manual zoom lens, F 1.8 to 2.2, f28.4 to 34.0mm	Manual zoom, F=2.8 to 3.1, f= 31 to 40m	f=28.7 - 34.4mm 1.2x Zoom 1: 1.6-1.78
CONTRAST RATIO	400: 01: 00	300:1	450:1	300: 01: 00
MAXIMUM RESOLUTION	SVGA	1024 x 768	SXGA (1280 x 1024)	550 tv-lines
RECOMMENDED RESOLUTION	800 x 600	SVGA (800 x 600)	SVGA (800 x 600)	automatique
IMAGE SIZE	26" to 300"	1m to 3.8m (viewable area, measured diagonally)	25" - 300" diagonal	200"-100"-34"
WEIGHT	3.1 kg	2,4 kg	2,3 kg	2.7kg
FAN NOISE	42 dBA	<36 dB	<38db	37 dBA
POWER CONSUMPTION	100-120V, 2.4A 60/60Hz 200/240V	Max. 190W	250W	250W
VIDEO INPUTS	RCA Jack.-Supports NTSC, PAL, SECAM, NTSC 4.43, M-PAL, N-PAL, PAL60	Video (PAL, SECAM, NTSC, NTSC 4.43, PAL-M, PAL-N), RGB/Component, Y/C video, composite video	RGB, Analog D-Sub 15 pin. Optional AV Box with 1 x Svideo, 1 x RCA, 1 x Audio-Stereo mini jack; Optional Tuner Box with 1 x Svideo, 1 x RCA, 1 x Audio-Stereo minijack, 1 x Cable adaptor	S video (4 pin din) x 1, RCAx3 (Component Y/Video, Pb/Cb, Pr/Cr)
PLATFORM	Win & Mac	Windows & Mac	PC and Mac	Windows and MAC compatible
WARRANTY	3 year carry-in	2 year warranty	3 years of which 1st year onsite swap & 2nd/3rd year pick up and return	1 year carry-in
WEBSITE	www.epson.be	www.sonypresentations.com	www.benq.nl	www.canon.be
PACKAGE CONTENTS	Softcase, remote controle incl. batteries, streamcable, VGA-computercable 1,8 m, video/audiocable, PS/2-mousecable, macintosh-mousecable, remote controle manual	VPL-CS4, Remote Commander RM-PJ2, CR2025 Battery, Monitor Cable, Carrying Bag, Ferrite Core, Power Cable, Air Filter, Operation Manual, Quick Reference Sheet	7763PA projector, User's guide, wireless remote control, VGA Cable, Power Cord, ADB Mouse Adaptor, PS/2 Mouse Adaptor, AAA Batteries, Serial Mouse Adaptor, General Cable, Soft Carry Case	remote control unit & AA alkaline batteries, AC cable, VGA cable, mouse control cable, lens cover, soft case & Instruction Books
WHY BUY?	*1. Mobile presenter (only 3,1 kg)* *2. Epson Dream 2 LCD panels -> better brightness* *3. Remote control with pre-programmed special effects*	*1. High performance* *2. Quiet operation* *3. Ultra-Compact body*	*1. Exceptional contrast ratio with rich black level* *2. Ultra silent* *3. Ultra high compatibility*	*1. Micro portable, new design* *2. Noiseless* *3. Easy to install* *4. Digital Keystone correction (+/- 20°)* *5. High contrast ratio of 300: 1 for picture perfection* *6. Credit card size remote control*

	PHILIPS	BENQ	COMPAQ	PHILIPS
MODEL	cSmart	SL703S	iPAQ MP1410	UGO s - lite impact
PRICE EUR	3.145,80 EUR	3.199 EUR	3.267,00 EUR	3.430 EUR
PARTNR.	659226	99.J2977.B31	230315-021	727235
ARTNR.	LC4433/40	729806	681170	LC5231
TECHNOLOGY	LCD/SVGA	0,7" DLP	DLP (Digital Light Processing)	DLP/SVGA
BRIGHTNESS	1000 ANSI lumen	1100 ANSI LUMEN	800 ANSI Lumens / 950 Peak Lumens	1000 ANSI lumen
LAMP	120W UHP	120 W	120 watt High brightness lamp	130 W UHP
LENS	F/2.0-2.2; f=36.5-46.6mm 1.3x Manual Zoom/ Focus	Fixed; F=2.6	Fixed Focal Length (adjustable focus)	F2.4-2.6; f= 28-33 mm 1,2x Manual Zoom/ Focus
CONTRAST RATIO	350:01:00	600:1	400: 1 contrast full-on; 150: 1 checkerboard	650: 01: 00
MAXIMUM RESOLUTION	SXGA (1280x1024)	SXGA (1280 x 1024)	XGA	1280x1024 SXGA
RECOMMENDED RESOLUTION	SVGA (800x600)	SVGA 800 x 600	SVGA: 800x600	SVGA 800x600
IMAGE SIZE	Minimum Image Diagonal: 20 cm Maximum Image Diagonal: 300 cm	30" - 300"	84 cm to 5,6 m diagonal	Minimum Image Diagonal: 25 cm Maximum Image Diagonal: 200 cm
WEIGHT	3,6 kg	1,5 kg	1,95 kg	1,5 kg
FAN NOISE	32dB	< 34db	36 dBA	39dB
POWER CONSUMPTION	180W, 5W standby	185W	15 Watts (standby)/185 Watts (full power)	180 W
VIDEO INPUTS	NTSC 3.58, 4.43 ; PAL N, M, B/G ; SECAM, S-video/S-VHS (Y/C), Component video input (RGB-Y, YUV, YPbPr)	RGB Analog D-Sub 15 pin, Composite Video, S-Video, audio minijack	Built-in VGA + DFP / Cables for DVI + RCA Composite Video + S-Video	S-Video (Y/C DIN)/Video (RCA)/ Stereo Audio (2x RCA)/ YCbCr (15 pin)
PLATFORM	Windows, Mac	PC and Mac	all video sources and PC/Mac data sources up to XGA	Windows, MAC
WARRANTY	3 years of which 1 year on-site	3 years of which 1st year onsite swap & 2nd/3rd year pick up and return	1 year advanced unit replacement + 1 year pick-up & return	3 years of which 1 year on-site
WEBSITE	www.pcpbenelux.philips.com	www.benq.nl	www.compaq.be	www.pcpbenelux.philips.com
PACKAGE CONTENTS	Compact remote control, Power cord, Combined VGA-USB cable (2m), Audio/Video cable (2m), S-video cable (2m), Audio converter plug (3.5mm stereo jack to 2x RCA), Scart adapter (scart to RCA audio/video), Soft carrying bag, Lenscap, CD-ROM User Guide, Quick Setup Card	SL703S projector, User's guide, remote control, Power Cord, VGA Cable, Compact Leather Case, Svideo Cable, RCA-PC Audio Cable, Presentation Wizard, Quick Start Card, Battery, 3-2 converter, Deluxe Soft carry Case, Video Cable, audio cable	iPAQ MP1410 + User Manual + Installation CD-ROM + Carrying Case + power cable + data cables	Remote Control + 2x AAA batteries, Power cord (1,8m) (2 cords, Continental Europe and USA), VGA Cable (1m), PC Audio cable, Mouse cable set; 1m, PS/2 ; 1m, USB, Audio/Video RCA Cable (1m,Video/Audio stereo), S-Video cable (1m), Soft carrying bag, User Guide (CD-Rom, Quick Reference Guide)
WHY BUY?	*1. 120 W UHP lamp with a life cycle of 6000 hrs* *2. very silent (only 32dB) due to Philips Air System* *3. Promobundle (valid until 30/06/02) + ceiling mount + free VL1200 (wireless tv/video transmitter)*	*1. Dazzling Images* *2. Picture in Picture* *3. Progessive Scanning & seamless picture quality* *4. Smart Looks*	*1. extremely light* *2. very easy to set-up and use, lamp can be changed in less than 5 minutes* *3. excellent image quality thanks to advanced DLP* *4. exclusive tower design which takes less desk space and renders less image distortion* *5. prestigious casing made out of aluminium for ultimate durability*	*1. high contrast ratio 650: 1* *2. ultra light - only 1,5 kg*

	EPSON	CANON	PHILIPS	PHILIPS	EPSON
MODEL	EMP-503	LV-X1	cBright XG2	cBright SV2	EMP-505
PRICE EUR	4.222,90 EUR	4.225,00 EUR	4.340 EUR	4.442,26 EUR	4.464,90 EUR
PARTNR.	V11H058040	7534A001	706806	706802	V11H039040
ARTNR.	722646	678740	LC4441	LC4431	722662
TECHNOLOGY	3 x 0,9" TFT LCD panels	XGA / SXGA compression	LCD/XGA	LCD/SVGA	3 x 0,9" TFT LCD panels
BRIGHTNESS	1100 ANSI Lumens	1100 ANSI Lm (LV-X1)	1200 ANSI lumen	1500 ANSI lumen	1100 ANSI Lumens
LAMP	150W UHP Lamp	150W UHP	200W UHP	200W UHP	150W UHP Lamp
LENS		f=28.7 – 34.4mm 1.2x Zoom 1: 1.6-1.78	F1.8 - 2.2 ; f=49.1 - 63.8 mm 1.3x Manual Zoom / Focus	F1.8 - 2.2; f=37 - 47mm 1.3x Manual Zoom / Focus	
CONTRAST RATIO	400: 01: 00	350: 01: 00	300: 01: 00	350: 01: 00	400: 01: 00
MAXIMUM RESOLUTION	SXGA	550 tv-lines	SXGA (1280x1024)	SXGA (1280x1024)	VGA, XGA, SXGA
RECOMMENDED RESOLUTION	800 x 600	automatique	XGA (1024x768)	SVGA (800x600)	800 x 600
IMAGE SIZE	26" to 300"	200"-100"-34"	Minimum Image Diagonal: 20 cm Maximum Image Diagonal: 300 cm	Minimum Image Diagonal: 20 cm Maximum Image Diagonal: 300 cm	26" to 300"
WEIGHT	2.7 kg	2.7kg	3,6 kg	3,6 kg	2.7 kg
FAN NOISE	42 dBA	37 dBA	37 dB	37 dB	42 dBA
POWER CONSUMPTION	230W	250W	250 W, 5 W standby	250 W, 5 W standby	230W
VIDEO INPUTS	RCA Jack.-Supports NTSC, PAL, SECAM, NTSC 4.43, NTSC50, M-PAL, N-PAL, PAL60	S video (4 pin din) x 1, RCAx3 (Component Y/Video, Pb/Cb, Pr/Cr)	S-video/S-VHS (Y/C), Component video input (RGB-Y,YCbCr,YPbPr), HDTVReadyTM-HDTV video input (480p, 720p, 1080i)	S-video/S-VHS (Y/C), Component video input (RGB-Y,YCbCr,YPbPr), HDTVReadyTM-HDTV video input (480p, 720p, 1080i)	RCA Jack.-Supports NTSC, PAL, SECAM, NTSC 4.43, NTSC50, M-PAL, N-PAL, PAL60
PLATFORM	Windows, Mac	Windows, Mac	Windows, Mac	Windows, Mac	Windows, Mac
WARRANTY	3 year carry-in	1 year carry-in	3 years of which 1 year on-site	3 years of which 1 year on-site	3 year carry-in
WEBSITE	www.epson.be	www.canon.be	www.pcpbenelux.philips.com	www.pcpbenelux.philips.com	www.epson.be
PACKAGE CONTENTS	remote controle incl. batteries, lenscap, streamcable for connection to the net, VGA-computercable, video/audiocable, manual, USB-mousecable, PS/2 mmosecable, protectioncap, 8 MB Compact Flash-card, PCMCIA cardadaptor, PCMCIA-Slot cover, video and audio contacts;	remote control unit & AA alkaline batteries, AC cable, VGA cable, mouse control cable, lens cover, soft case & Instruction Books	Laser pointer remote control, Power cord, Combined VGA-USB cable (2m), Audio/Video cable (2m), S-video cable (2m), Audio converter plug (3.5mm stereo jack to 2x RCA), Scart adapter (scart to RCA audio/video), Soft carrying bag, Lenscap, CD-ROM User Guide, Quick Setup Card	Laser pointer remote control, Power cord, Combined VGA-USB cable (2m), Audio/Video cable (2m), S-video cable (2m), Audio converter plug (3.5mm stereo jack to 2x RCA), Scart adapter (scart to RCA audio/video), Soft carrying bag, Lenscap, CD-ROM User Guide, Quick Setup Card	remote controle incl. batteries, lenscap, streamcable for connection to the net, VGA-computercable, video/audiocable, manual, USB-mousecable, PS/2 mmosecable, protectioncap, 8 MB Compact Flash-card, PCMCIA cardadaptor, PCMCIA-Slot cover, cd-rom with presentation for making scenario Easy MP support for Smart Media/Compact Flash and Smart media
WHY BUY?	*1. Portable projector (2,7 kg)* *2. New 150W UHE lamp* *3. Worldwide video compatiblity*	*1. Micro portable, new design* *2. Noiseless 3. Easy to install* *4. Digital Keystone correction (+/- 20°)* *5. High contrast ratio of 300: 1 for picture perfection* *6. Credit card size remote control* *7. high contrast ratio 650: 1* *8. ultra light - only 1,5 kg*	*1. ideal solution for conferences, training sessions and in hotels*	*1. ideal solution for conferences, training sessions and for use in hotels*	*1. Mobile projector (2,7 kg)* *2. PCMCIA card slot* *3. Worldwide video compatibility*

	EPSON	PHILIPS	EPSON	BENQ
MODEL	EMP-TS10	Monroe	EMP-71	7765PA
PRICE EUR	3.444,00 EUR	3.956,39 EUR	3.980,90 EUR	4.149 EUR
PARTNR.	V11H105040	659227	V11H060040	99.J1677.B41
ARTNR.	738097	LC6131/40	722645	729818
TECHNOLOGY	3 x 0,9" TFT LCD panels	LCD/SVGA	3 x 0,7" TFT LCD Panels	0,7" DLP
BRIGHTNESS	700 ANSI Lumens	1000 ANSI lumen	1000 ANSI Lumens	1100 ANSI-LUMEN
LAMP	150W UHE Lamp	120W UHP	160W UHP Lamp	150 W
LENS		F/2.0-2.2;f=36.5-46.6mm 1.3x Manual Zoom/ Focus		Manual zoom, F=2.8 to 3.1, f= 31 to 40m
CONTRAST RATIO	500: 01: 00	14,58402778	300: 01: 00	450:1
MAXIMUM RESOLUTION	SVGA	SXGA (1280x1024)	XGA	SXGA (1280 x 1024)
RECOMMENDED RESOLUTION	800 x 600	SVGA (800x600)	1024 X 768	XGA (1024 x 768)
IMAGE SIZE	30" to 300"	Minimum Image Diagonal: 20 cm Maximum Image Diagonal: 300 cm	28" to 300"	25" - 300" diagonal
WEIGHT	4.2 kg	3,6 kg	3.1 kg	2,3 kg
FAN NOISE	31 dBA	32dB	42 dBA	<38db
POWER CONSUMPTION	100-120V 2.7-1.3A 50/60Hz	180W, 5W standby	100-120V, 2.4A 60/60Hz 200/240V	250W
VIDEO INPUTS	Composite Video: RCA x 1-Component Video: Mini D-sub 15 PINX1.- S Video: Mini DIN x 1	NTSC 3.58, 4.43 ; PAL N, M, B/G ; SECAM, S-video/S-VHS (Y/C), Component video input (RGB-Y, YUV, YPbPr), HDTVReadyTM-HDTV video input (480p, 720p, 1080i)	RCA Jack.-Supports NTSC, PAL, SECAM, NTSC 4.43, M-PAL, N-PAL, PAL60	RGB, Analog D-Sub 15 pin. Optional AV Box with 1 x Svideo, 1 x RCA, 1 x Audio-Stereo mini jack; Optional Tuner Box with 1 x Svideo, 1 x RCA, 1 x Audio-Stereo minijack, 1 x Cable adaptor
PLATFORM	Windows, Mac	Windows, Mac	Windows, Mac	Windows, Mac
WARRANTY	3 year carry-in	3 years of which 1 year on-site	3 year carry-in	3 years of which 1st year onsite swap & 2nd/3rd year pick up and return
WEBSITE	www.epson.be	www.pcpbenelux.philips.com	www.epson.be	www.benq.nl
PACKAGE CONTENTS		Compact remote control, Power cord, VGA cable (2m), Audio/Video cable (2m), S-video cable (2m), Audio-Out converter plug (3.5mm stereo jack to 2x RCA), Scart adapter (scart to RCA audio/video), Soft carrying bag, Lenscap, CD-ROM User Guide + Printed user guide, Quick Setup Card	Softcase, remote controle incl. batteries, streamcable, VGA-computercable 1,8 m, video/audiocable, PS/2-mousecable, macintosh-mousecable, remote controle manual	7765PA projector, User's guide, wireless remote control, VGA Cable, Power Cord, ADB Mouse Adaptor, PS/2 Mouse Adaptor, AAA Batteries, Serial Mouse Adaptor, General Cable, Soft Carry Case
WHY BUY?	*1. Affordable home entertainment projector* *2. Stylish design to suit any home* *3. Easy to use and setup* *4. High Contrast ratio for home entertainment* *5. Ultra quiet and multifunctional system*	*1. Ideal solution for home cinema* *2. 120W UHP lamp with a life cycle of 6000 hrs* *3. very silent (only 32db) due to Philips Air System*	*1. Mobile projector (only 3,1 kg)* *2. Epson Dream 2 LCD panels -> better brightness* *3. Remote control with pre-programmed special effects*	*1. Exceptional contrast ratio with rich black level* *2. Ultra silent* *3. Ultra high compatibility*

	SONY	PHILIPS	BENQ	SONY	CANON
MODEL	VPL-CX4	UGO x - lite impact	SL705X	VPD-MX10	LV-7340
PRICE EUR	4.470,95 EUR	4.660,60 EUR	4.999 EUR	5.203 EUR	5.325,00 EUR
PARTNR.	VPL-CX4	LC5241	99.J2477.B31	VPD-MX10	7404A001
ARTNR.	701624	733665	729820	703821	678741
TECHNOLOGY	3 x 0,7 inch p-Si TFT LCD panel	DLP/XGA	0,7" DLP	0.7 inch DLP panel	XGA / SXGA compression
BRIGHTNESS	1000 ANSI-LUMEN	1000 ANSI lumen	1100 ANSI LUMEN	1000 ANSI-LUMEN	1500/1300 ANSI Lm
LAMP	120W UHP Lamp	130 W UHP	120 W	130W UHP Lamp	200W UHP
LENS	1.2 times manual zoom lens, F 1.8 to 2.2, f28.4 to 34.0mm	F2.4-2.6 ; f= 28-33mm 1,2x Manual Zoom/ Focus	Manual Zoom, F=2.6 to 3.1	1.2 times zoom lens, F 2.4 to 2.8, f27 to 33.0mm	f=37.4 - 48.2mm 1.3 x Zoom 1: 1.7-2.2
CONTRAST RATIO	300:1	650: 01: 00	600:1	650:1	350: 01: 00
MAXIMUM RESOLUTION	1280 x 1024	SXGA (1280x1024)	SXGA (1280x1024)	1280 x 1024	800 tv-lines
RECOMMENDED RESOLUTION	XGA (1024 x 768)	XGA (1024x768)	XGA (1024 x 768)	XGA (1024 x 768)	automatique
IMAGE SIZE	1m to 3.8m (viewable area, measured diagonally)	Minimum Image Diagonal: 25 cm Maximum Image Diagonal: 200 cm	22" - 300"	40 to 200 inches (viewable area, measured diagonally)	300"-100"-31"
WEIGHT	2,4 kg	1,5 kg	1,7 kg	2 kg	4,0 kg
FAN NOISE	<36 dB	39dB	<34db	<37 dB	37 dBA
POWER CONSUMPTION	Max. 190W	180 W	185W	Max. 200W	300W
VIDEO INPUTS	Video (PAL, SECAM, NTSC, NTSC 4.43, PAL-M, PAL-N), RGB/Component, Y/C video, composite video, USB type B	S-Video (Y/C DIN)/Video (RCA)/ Stereo Audio (2x RCA)/ YCbCr (15 pin)	RGB Analog D-Sub 15 pin, Composite Video, S-Video, audio minijack	Video (PAL, SECAM, NTSC, NTSC 4.43, PAL-M, PAL-N), RGB/Component, Y/C video, composite video, USB type B, DVI-D	S video (4 pin din) x 1, RCAx3 (Component Y/Video, Pb/Cb, Pr/Cr)
PLATFORM	Windows, Mac	Windows, MAC	PC and Mac	Windows & Mac	Windows and MAC compatible
WARRANTY	2 year warranty	3 years of which 1 year on-site	3 years of which 1st year onsite swap & 2nd/3rd year pick up and return	2 year warranty	1 year carry-in
WEBSITE	www.sonypresentations.com	www.pcpbenelux.philips.com	www.benq.nl	www.sonypresentations.com	www.canon.be
PACKAGE CONTENTS	VPL-CX4, Remote Commander RM-PJM11, AA type Battery x 2, Monitor Cable, USB Cable, CD-ROM Projector Station 3.2, Carrying Bag, Ferrite Core, Power Cable, Air Filter, Operation Manual, Quick Reference Sheet	Remote Control + 2x AAA batteries, Power cord (1,8m) (2 cords, Continental Europe and USA), VGA Cable (1m), PC Audio cable, Mouse cable set; 1m, PS/2 ; 1m, USB, Audio/Video RCA Cable (1m,Video/Audio stereo), S-Video cable (1m), Soft carrying bag, User Guide (CD-Rom, Quick Reference Guide)	SL705X projector, User's guide, remote control, Power Cord, VGA Cable, Compact Leather Case, Svideo Cable, RCA-PC Audio Cable, Presentation Wizard, Quick Start Card, Battery, 3-2 converter, Deluxe Soft carry Case, Video Cable, audio cable,. HDTV Cable	VPL-MX10, Remote Commander RM-PJM11, Memory Stick (8 MB), Monitor Cable, USB Cable: A type to B type, CD-ROM (Application Software), Carrying Bag, AA size battery (2), AC Power Cord, Operation Manual, Quick Reference Sheet	remote control unit & AA alkaline batteries, AC cable, VGA cable, mouse control cable, lens cover, soft case & Instruction Books
WHY BUY?	*1. High performance* *2. Quiet operation* *3. Ultra-Compact body*	*1. high contrast ratio 650: 1* *2. ultra light - only 1,5 kg*	*1. Dazzling Images* *2. Picture in Picture & HDTV compatible* *3. Progessive Scanning* *4. Smart Looks*	*1. Small, Thin & Light* *2. Sophisticated design* *3. Quiet Operation* *4. Memory Stick Feature*	*1. Contrast ration 350: 1* *2. Turbo bright system* *3. Power zoom & focus* *4. Stylish and compact* *5. Very noiseless (37 decibel)* *6. For business presenations*

MODEL	BENQ VP150X	PHILIPS cBright XG2 Impact	EPSON EMP-TW100	COMPAQ iPAQ MP2810
PRICE EUR	5.599 EUR	5.600 EUR	5.777,00 EUR	6.050,00 EUR
PARTNR.	99.J2777.B01	706808	V11H053040	252951-021
ARTNR.	729821	LC4445	738098	680515
TECHNOLOGY	LCD	LCD/XGA	LCD, 3 x 0,87" Polysilicon TFT Aktiv-Matrix	DLP (Digital Light Processing)
BRIGHTNESS	1800 ANSI-LUMEN	1600 ANSI lumen	700 ANSI Lumens	1100 ANSI Lumens / 1500 Peak Lumens
LAMP	150 W	200W UHP	150W UHE Lamp	130 watt High brightness lamp
LENS	Manual Zoom, F=1.73 to 2.17, f=37.8 to49m	F1.8 - 2.2 ; f=49.1 - 63.8 mm 1.3x Manual Zoom / Focus		Adjustable Focal Length Zoom lens (1.2x) and manual adjustable focus
CONTRAST RATIO	400:1	300: 01: 00	600: 01: 00	
MAXIMUM RESOLUTION	SXGA (1280 x 1024)	XGA (1280x1024)	W-XGA	400: 1 contrast full-on; 150: 1 checkerboard
RECOMMENDED RESOLUTION	XGA (1024 x 768)	XGA (1024x768)	1280 x 720	SXGA
IMAGE SIZE	19" to 310"	Minimum Image Diagonal: 20 cm Maximum Image Diagonal: 300 cm	30" to 300"	XGA: 1024x768 57 cm to 6,15 m diagonal
WEIGHT	3,6 kg	3,6 kg	4.2 kg	
FAN NOISE	<40db	37 dB	30 dBA	1,36 kg
POWER CONSUMPTION	250W	250 W, 5 W standby	100-120V 2.7-1.3A 50/60Hz	36 dBA
VIDEO INPUTS	RGB Analog D-Sub 15 pin, Composite Video, S-Video, audio minijack	S-video/S-VHS (Y/C), Component video input (RGB-Y,YCbCr,YPbPr), HDTVReadyTM-HDTV video input (480p, 720p, 1080i)	Composite Video: RCA x 1-Component Video: Mini D-sub 15 PINX1. RCA x 3-S Video: Mini DIN x 1	5 Watts (standby)/185 Watts (full power) RCA Composite Video + S-Video + VGA + DVI
PLATFORM	Windows, Mac	Windows, Mac	Windows, Mac	all video sources and PC/Mac data sources up to SXGA
WARRANTY	3 years of which 1st year onsite swap & 2nd/3rd year pick up and return	3 years of which 1 year on-site	3 year carry-in	2 years advanced unit replacement
WEBSITE	www.benq.nl	www.pcpbenelux.philips.com	www.epson.be	www.compaq.be
PACKAGE CONTENTS	VP150X projector, User's guide, remote control, Batteries, Soft Carry Case, Mac adapter, VGA Cable, General Cable, Audio Cable, USB Cable, Svideo cable, Power Cord, ADB Mouse Adaptor, PS/2 Mouse Adaptor, Serial Mouse Adaptor, RCA Jack	Laser pointer remote control, Power cord, Combined VGA-USB cable (2m), Audio/Video cable (2m), S-video cable (2m), Audio converter plug (3.5mm stereo jack to 2x RCA), Scart adapter (scart to RCA audio/video), Soft carrying bag, Lenscap, CD-ROM User Guide, Quick Setup Card		iPAQ MP2810 + remote Control with Laser Pointer + batteries + User Manual + Installation CD-ROM + Carrying Case + Multimedia Adapter + video cables + power cable + data cables
WHY BUY?	***1. Big Picture 2. Intelligent Cooling System 3. Intelligent Remote Control 4. 1800 ANSI LUMEN with True XGA Resolution***	***1. ideal solution for conferences, training sessions and for use in hotels***	***1. Ideal for home cinema experience 2. Fully HDTV compliant 3. Ceiling or table mounted for convenient viewing 4. TOP Quality in Home entertanment projection 5. Ultra High resolution and contrast ratio***	***1. extremely small and light, yet very high brightness thanks to advanced DLP 2. exclusive tower design which takes less desk space and renders less image distortion 3. advanced warranty: you receive a new unit on-site within 48 hours 4. very easy to set-up and use, lamp can be changed in less than 5 minutes 5. very complete solution: speaker, remote control with laser pointer, luxurious carying case, and all video cables in the box***

MODEL	CANON LV-7345	COMPAQ iPAQ MP4800	PHILIPS Proscreen PXG20	CANON LV-7545
PRICE EUR	6.430,00 EUR	6.897,00 EUR	9.310 EUR	11.195,00 EUR
PARTNR.	7401A001	257524-021	727234	7531A001
ARTNR.	678742	731414	LC1241	701451
TECHNOLOGY	XGA / SXGA compression	DLP (Digital Light Processing)	LCD/XGA	XGA / SXGA compression
BRIGHTNESS	2100/1800 ANSI Lm	2000 ANSI Lumens	3000 ANSI lumen	3700/3200 ANSI Lm
LAMP	200W UHP	User replaceable Osram 200 watt P-VIP lamp*	200W UHP	200W UHP
LENS	f=37.4 - 48.2mm 1.3 x Zoom 1: 1.7-2.2	Adjustable focal length zoom lens (1.2x) and manual adjustable focus	F1.7 - 2.3: f=49.1-63.8mm 1.3x Motor Zoom / Focus	f=48.2 - 62.6mm 1.3x Zoom - 1: 1.7-2.0
CONTRAST RATIO	350: 01: 00	800: 1 contrast full-on; 200: 1 checkerboard	250: 1	800: 01: 00
MAXIMUM RESOLUTION	800 tv-lines	ANSI	XGA (1600x1200)	800 tv-lines
RECOMMENDED RESOLUTION	automatique	SXGA	XGA (1024x768)	automatique
IMAGE SIZE	300"-100"-31"	XGA: 1024x768 60 cm to 7,8 m diagonal	Minimum Image Diagonal: 40 cm Maximum Image Diagonal: 300 cm	400"-200"-31"
WEIGHT	4,0 kg	2,63 kg	7,3 kg	8.5 kg
FAN NOISE	37 dBA	36dB (normal operation); 34dB (lamp saver mode)	39dB	37 dBA
POWER CONSUMPTION	300W	15 watts (standby)/ 300 watts (full power)	265 W	300W
VIDEO INPUTS	S video (4 pin din) x 1, RCAx3 (Component Y/Video, Pb/Cb, Pr/Cr)	RCA Composite Video + S-Video + VGA + DVI all video sources and PC/Mac data sources up to SXGA	Video NTSC 3.85, 4.43 /PAL-CCIR, Secam, DTV/HDTV (1080i, 720p,480p with 4: 3 and 16: 9 aspect ratios) and DVD compatible.	RCA x 2 (R, L), S video (4 pin din) x 1, RCAx3 (Component Y/Video, Pb/Cb, Pr/Cr), 5 BNC x 1
PLATFORM	Windows and MAC compatible		all video and PC/Mac data sources up to UXGA	Windows and MAC compatible
WARRANTY	1 year carry-in	3 years pick-up & return	3 years 1 jaar on-site	1 year carry-in
WEBSITE	www.canon.be	www.compaq.be	www.pcpbenelux.philips.com	www.canon.be
PACKAGE CONTENTS	remote control unit & AA alkaline batteries, AC cable, XGA cable, mouse control cable, lens cover, soft case & Instruction Books	iPAQ MP4800 + remote Control with Laser Pointer + batteries + User Manual + Installation CD-ROM + Carrying Case + power cable + data cables	lenscap, 2x Power cord, Remote Control + 3x AA batteries + USB Mouse receiver, VGA cable, RCA cable (Video/Audio stereo) + RCA - BNC adapters (3x), S-Video cable, Scart - RCA adapter, DIN-D sub RS232C cable, User Guide (CD-ROM) plus Quick Reference, Registration card, Extra Air filter	remote control unit & AA alkaline batteries, AC cable, VGA cable, mouse control cable, lens cover, soft case & Instruction Books 1. Stylish and compact 2. For business presenations
WHY BUY?	***1. Stylish and compact 2. Very noiseless (37 decibel) 3. For business presenations 4. Contrast ration 350: 1 5. Turbo bright system 6. Power zoom & focus***	***1. extremely bright image for such a small & light unit 2. very easy to set-up and use, lamp can be changed in less than 5 minutes 3. excellent image quality thanks to advanced DLP 4. very flexible solution: stereo speakers, remote control with laser pointer, and optional ceiling mount 5. 3 year warranty *(1,000 hours half-life, 1,500 hours in lamp saver mode)***	***1. compatible with UXGA en HDTV 2. suitable for an audience of up to 1000 people 3. suitable for congresses***	***1. DVI & USB interface 2. Turbo bright system 3. Power zoom & focus***



Philips Multimedia Projectors –

Impressive performance for every appli-





Ugo
Impact
S-lite
X-lite



cSmart



cBright
SV2
XG2
XG2 impact



PXG20

Let's make things better.



PHILIPS